

Qualified Vendors List (QVL) Standard table for user manual

Project Name: P3-P5G33

Size	Vendor	Model	SS/DS	Component	DIMM socket support (Optional)		
					A*	B*	C*
DDR2 667 512MB	KINGSTON	KVR667D2N5/512	SS	D6408TEBGGL3U	V	V	V
DDR2 667 1024MB	KINGSTON	KVR667D2N5/1G	DS	D6408TEBGGL3U	V	V	V
DDR2 667 256MB	KINGSTON	KVR667D2N5/256	SS	HYB18T256800AF3S	V	V	V
DDR2 667 256MB	KINGSTON	KVR667D2N5/256	SS	6SBI2D9DCG	V		V
DDR2 667 2048MB	KINGSTON	KVR667D2N5/2G	DS	E1108AB-6E-E	V	V	V
DDR2 667 256MB	Qimonda	HYS64T32000HU-3S-B	SS	HYB18T512160BF-3S	V	V	
DDR2 667 512MB	Qimonda	HYS64T64000HU-3S-B	SS	HYB18T512800BF3S	V	V	V
DDR2 667 1024MB	Qimonda	HYS64T128020HU-3S-B	DS	HYB18T512800BF3S	V	V	V
DDR2 667 512MB	SAMSUNG	M378T6553CZ0-CE6	SS	ZCE6K4T51083QC	V	V	
DDR2 667 1024MB	SAMSUNG	M378T2953CZ0-CE6	DS	ZCE6K4T51083QC	V	V	
DDR2 667 256MB	SAMSUNG	M378T3354CZ3-CE6	SS	K4T51163QC-ZCE6	V	V	V
DDR2 667 512MB	SAMSUNG	M378T6553CZ3-CE6	SS	K4T51083QC			V
DDR2 667 1024MB	SAMSUNG	M378T2953CZ3-CE6	DS	ZCE6K4T51083QC	V	V	V
DDR2 667 256MB	SAMSUNG	M378T3354EZ3-CE6	SS	K4T51163QE-ZCE6	V	V	V
DDR2 667 512MB	SAMSUNG	M378T6553EZS-CE6	DS	K4T51083QE	V	V	V
DDR2 667 1024MB	SAMSUNG	M378T2953EZ3-CE6	DS	K4T51083QE	V	V	V
DDR2 667 256MB	Hynix	HYMP532U64CP6-Y5	SS	HY5PS121621CFP-Y5	V		V
DDR2 667 1024MB	Hynix	HYMP512U64CP8-Y5	DS	HY5PS12821CFP-Y5	V	V	V
DDR2 667 256MB	CORSAIR	VS256MB667D2	SS	MIII00605		V	V
DDR2 667 512MB	CORSAIR	VS512MB667D2	SS	64M8CFEG	V	V	V
DDR2 667 1024MB	CORSAIR	VS1GB667D2	DS	64M8CFEG	V	V	V
DDR2 667 256MB	ELPIDA	EBE25UC8ABFA-6E-E	SS	E2508AB-6E-E		V	V
DDR2 667 512MB	ELPIDA	EBE51UD8AEFA-6E-E	SS	E5108AE-6E-E	V	V	V
DDR2 667 512MB	A-DATA	M2OAD5G3H31661C52	SS	AD29608A8A-3EG	V	V	V
DDR2 667 1024MB	A-DATA	M2OAD5G3I417611C52	DS	AD29608A8A-3EG	V	V	V
DDR2 667 2048MB	A-DATA	M2ONY5H3J417011C5Z	DS	NT5TU128M8BJ-3C	V	V	V
DDR2 667 512MB	crucial	BL6464AA663.8FD	SS	Heat-Sink Package	V	V	V
DDR2 667 1024MB	crucial	BL12864AA663.16FD	DS	Heat-Sink Package			V
DDR2 667 512MB	Apacer	AU512E667C5KBGC	SS	AM4B5708GQJS7E0628F			V
DDR2 667 1024MB	Apacer	AU01GE667C5KBGC	DS	AM4B5708GQJS7E			V
DDR2 667 512MB	Transcend	TS64MLQ64V6J	SS	K4T51083QE	V	V	V
DDR2 667 1024MB	Transcend	TS128MLQ64V6J	DS	K4T51083QE			V
DDR2 667 256MB	Kingmax	KLCB68F-36KH5	SS	N2TU51216AG-3C	V	V	V

DDR2 667 512MB	Kingmax	KLCC28F-A8KB5	SS	KKEA88B4LAUG-29DX			V
DDR2 667 1024MB	Kingmax	KLCD48F-A8KB5	DS	KKEA88B4LAUG-29DX	V	V	V
DDR2 667 512MB	Super Talent	T6UA512C5	SS	Heat-Sink Package		V	V
DDR2 667 1024MB	Super Talent	T6UB1GC5	DS	Heat-Sink Package	V	V	V
DDR2 667 512MB	SMART	TB3D2667C58S	SS	G64M8XB3ITIX4TUE			V
DDR2 667 1024MB	SMART	TB4D2667C58D	DS	G64M8XB3ITIX4TUE			V
DDR2 667 2048MB	NANYA	NT2GT64U8HB0JY-3C	DS	NT5TU128M8BJ-3C	V	V	V
DDR2 667 512MB	NANYA	NT512T64U88B0B Y-3C	SS	NT5TU64M8BE-3C	V	V	V
DDR2 667 512MB	PSC	AL6E8E63B-6E1K	SS	A3R12E3GEF637BLC5N	V	V	V
DDR2 667 1024MB	PSC	AL7E8E63B-6E1K	DS	A3R12E3GEF637BLC5N	V	V	V

Qualified Vendors List (QVL) Standard table for user manual

Project Name: P3-P5G33

Size	Vendor	Model	SS/DS	Component	DIMM socket support (Optional)		
					A*	B*	C*
DDR2 800 512MB	KINGSTON	KVR800D2N5/512	SS	K4T51083QC	V	V	V
DDR2 800 1024MB	KINGSTON	KHX6400D2LLK2/1GN	SS	Heat-Sink Package			V
DDR2 800 1024MB	KINGSTON	KVR800D2N5/1G	DS	V59C1512804QBF25	V	V	V
DDR2 800 256MB	Qimonda	HYS64T32000HU-25F-B	SS	HYB18T512160BF-25F		V	V
DDR2 800 512MB	Qimonda	HYS64T64000HU-25F-B	SS	HYB18T512800BF25F			V
DDR2 800 1024MB	Qimonda	HYS64T128020HU-25F-B	DS	HYB18T512800BF25F			V
DDR2 800 512MB	SAMSUNG	M378T6553CZ3-CE7	SS	EDD339XX	V	V	
DDR2 800 256MB	SAMSUNG	M378T3354CZ3-CE7	SS	K4T51163QC-ZCE7	V	V	V
DDR2 800 512MB	SAMSUNG	M378T6553CZ3-CE7	SS	ZCE7K4T51083QC	V	V	V
DDR2 800 512MB	Hynix	HYMP564U64CP8-S5	SS	HY5PS12821CFP-S5	V		V
DDR2 800 1024MB	Hynix	HYMP512U64CP8-S5	DS	HY5PS12821CFP-S5	V	V	
DDR2 800 512MB	MICRON	MT8HTF6464AY-80ED4	SS	D9GKX	V	V	V
DDR2 800 1024MB	MICRON	MT16HTF12864AY-80ED4	DS	D9GKX	V	V	V
DDR2 800 1024MB	CORSAIR	CM2X1024-6400C4	DS	Heat-Sink Package	V	V	V
DDR2 800 512MB	Crucial	BL6464AA804.8FD	SS	Heat-Sink Package	V	V	V
DDR2 800 1024MB	Crucial	BL12864AA804.16FD	DS	Heat-Sink Package	V	V	V
DDR2 800 1024MB	Crucial	BL12864AL804.16FD3	DS	Heat-Sink Package	V	V	V
DDR2 800 1024MB	Crucial	BL12864AA804.16FD3	DS	Heat-Sink Package		V	V
DDR2 800 512MB	Apacer	AHU512E800C5K1C	DS	Heat-Sink Package	V	V	V
DDR2 800 1024MB	Apacer	AHU01GE800C5K1C	DS	Heat-Sink Package			V
DDR2 800 512MB	A-DATA	M2OAD6G3H3160G1E53	SS	AD29608A8A-25EG	V	V	

DDR2 800 1024MB	A-DATA	M2OAD6G3I417011 E58	DS	AD26908A8A-25EG	V	V	V
DDR2 800 512MB	KINGMAX	KLDC28F-A8KI5	SS	KKA8FEIBF-HJK-25A	V	V	V
DDR2 800 1024MB	KINGMAX	KLDD48F-ABKI5	DS	KKA8FEIBF-HJK-25A	V	V	V
DDR2 800 512MB	Transcend	TS64MLQ64V8J	SS	HY5PS12821CFP-S5		V	V
DDR2 800 1024MB	Transcend	TS128MLQ64V8J	DS	HY5PS12821CFP-S5	V	V	V
DDR2 800 512MB	Super Talent	T800UA12C4	SS	Heat-Sink Package	V	V	V
DDR2 800 1024MB	Super Talent	T800UB1GC4	DS	Heat-Sink Package	V		V
DDR2 800 1024MB	NANYA	NT1GT64U8HB0B Y-25C	DS	NT5TU64M8BE-25C	V		V
DDR2 800 512MB	PSC	AL6E8E63B8E1K	SS	A3R12E3HEF641B9A05			V
DDR2 800 1024MB	PSC	AL7E8E63B-8E1K	DS	A3R12E3HEF641B9A05			V

Note :

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration.

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration