


# Quick Start Guide **PathFinder**


15G06A429000

## Getting the PathFinder ready

1. Connect the car charger to the R710(t)/R800 cradle.
2. Connect the Mini USB cable of the PathFinder to the Mini USB port of the R710(t)/R800 cradle.




3. After fixing the PathFinder's position on the dashboard, switch the PathFinder and R710(t)/R800 on, then, from the main menu of R710(t)/R800, tap **Settings > PathFinder > LED Testing**.
4. You will find a projection area on your windshield.
5. Clean the projection area with a clean cloth.
6. Spray a thin layer of clean water on the projection area.



**Note:** To prevent the dashboard from getting damp, DO NOT spray too much water onto the windshield and use a piece of dry cloth to cover the dashboard.

7. Peel off the reflection film (grey) from the backside film (achromatic).
8. Carefully paste the reflection film on the projection area.
9. Remove the bubbles between the reflection film and the windshield to ensure they are tightly adhered. Using the reflection film applicator, gently move its edge on the reflection film to remove the bubbles.



Reflection Film



Reflection Film Applicator

10. Wipe off the excess water around the reflection layer film.

---

**Note:** Repasting the reflection film more than once degrades its adhering quality.

---

11. One side of the velcro fastener is preattached to the plate of the PathFinder. Attach the other side of the velcro fastener to your vehicle's dashboard. Press firmly to ensure that the PathFinder is firmly attached to the dashboard.

## Using the PathFinder

1. Turn on the PathFinder and R710(t)/R800 Navigator.
2. From the main menu, tap **Navigation > Route**. When route setup is completed, tap **Start Navigating**.

The PathFinder displays direction, distance/speed information, and the camera alarm icon on the projection area on the windshield.



---


**Note:** If you want to change the PathFinder settings, exit the navigation mode, then from the main screen, tap **Settings > PathFinder**.

---

## Configuring the Pathfinder settings

To set the Pathfinder:

1. From the main screen, tap **Settings > Pathfinder**.
2. Tap the item you want to configure to show the configuration options.
3. Select your preferred options.



From the Settings, you can configure the following settings:

Items	Descriptions
<b>PathFinder Device</b>	Allows you to turn on/off the PathFinder device.
<b>LED Bright Type</b>	Allows you to select the LED brightness.
<b>Show Direction</b>	Allows you turn on/off the the direction display function.
<b>Speed/Distance Display</b>	Allows you to select either speed or distance information to display on the PathFinder. You can also turn off this function.
<b>Camera Alarm</b>	Allows you to turn on/off the camera alarm function. If it is set to <b>On</b> , the camera alarm icon on the upper-right corner of the PathFinder screen lights up when a Speed Camera is detected.
<b>PathFinder Version Info.</b>	Allows you to check the PathFinder version.
<b>LED Testing</b>	Automatically tests the LED lightness.

### Notices



1. Underwriters Laboratories Inc. ("UL") has not tested the performance or reliability of the Global Positioning System ("GPS") hardware, operating software or other aspects of this product. UL has only tested for fire, shock or casualties as outlined in UL's Standard(s) for Safety.UL60950-1 Certification does not cover the performance or reliability of the GPS hardware and GPS operating software. UL MAKES NO REPRESENTATIONS, WARRANTIES OR CERTIFICATIONS WHATSOEVER REGARDING THE PERFORMANCE OR RELIABILITY OF ANY GPS RELATED FUNCTIONS OF THIS PRODUCT.
2. Use only with Listed ITE.



## 安裝 PathFinder


請依照下列步驟安裝 PathFinder 至車內：

1. 將車用充電器連接至 R710(t)/R800 車架上的電源插槽。
2. 將 PathFinder 的 Mini USB 訊號線連接至 R710(t)/R800 車架上的 Mini USB 插槽。
3. 固定 PathFinder 的放置位置後，分別開啟 PathFinder 與 R710(t)/R800 電源，然後在 R710(t)/R800 螢幕上點選 **設定 > PathFinder > LED 測試**。
4. 接著在您的擋風玻璃上將會看到一塊反射區域。
5. 用乾淨抹布將反射區域擦拭乾淨。
6. 在反射區域上噴上薄薄一層乾淨的水。



**注意：**為避免水流入控台內，請勿噴灑過多的水，並建議在控台上鋪上一塊乾布防止水分滲漏。

7. 將產品隨附的隔熱紙灰色面撕下。
8. 小心地將灰色面隔熱紙貼在反射區域上。
9. 使用產品隨附的隔熱紙刮片邊緣，輕輕地將隔熱紙與擋風玻璃間的氣泡刮除，以確保隔熱紙與擋風玻璃可以緊密貼合。



隔熱紙



隔熱紙刮片

10. 將隔熱紙周圍的多餘水分擦掉。


**注意：**將隔熱紙重新撕下再貼上將會降低其黏性。

11. Pathfinder 的底部會黏上魔鬼氈毛面，請將勾面魔鬼氈黏於車內前方控台上，接著將 Pathfinder 黏上控台並用力壓緊確保兩者已經緊密黏合。

## 使用 Pathfinder

1. 開啟 Pathfinder 與 R710(t)/R800 衛星導航電源。
2. 在主選單中點選 **導航 > 路徑規劃**。當路徑設定完成後，請點選 **開始導航**。

Pathfinder 會顯示方向、距離/車速及前方測速照相的警示通知圖示於擋風玻璃上的反射區域。



**注意：**若您想要變更 Pathfinder 設定，請先離開導航模式，然後在主選單中點選 **設定 > Pathfinder**。

## PathFinder 設定

請依照下列步驟設定 PathFinder：

1. 在主選單中點選 **設定 > PathFinder**。
2. 點選您欲設定的項目以顯示設定選項。
3. 選擇您所需的設定。



在設定選單中您可以進行下列設定：

項目	功能描述
<b>PathFinder 開關</b>	點選本項目可讓您開啟或關閉 PathFinder 裝置。
<b>LED 亮度調整</b>	點選本項目可讓您選擇 LED 亮度。
<b>方向顯示設定</b>	點選本項目可讓您開啟或關閉方向顯示功能。
<b>速度距離顯示設定</b>	點選本項目可讓您選擇在 PathFinder 上顯示速度或距離資訊，您也可以關閉本功能。
<b>測速照相</b>	點選本項目可讓您開啟或關閉測速照相功能。若開啟本功能，當偵測到前方有測速照相時，在 PathFinder 螢幕右上角的相機警示通知圖示便會亮起。
<b>PathFinder 版本資訊</b>	點選本項目可讓您檢視 PathFinder 版本資訊。
<b>LED 測試</b>	點選本項目會自動測試 LED 亮度。







## 安装 PathFinder


请依照下列步骤安装 PathFinder 至车内：

1. 将车用充电器连接至 R710(t)/R800 车架上的电源插槽。
2. 将 PathFinder 的 Mini USB 数据线连接至 R710(t)/R800 车架上的 Mini USB 插槽。
3. 固定 PathFinder 的放置位置后，分别开启 PathFinder 与 R710(t)/R800 电源，然后在 R710(t)/R800 屏幕上点击 **设置 > PathFinder > LED 测试**。
4. 接着在您的挡风玻璃上将会看到一块反射区域。
5. 用干净抹布将反射区域擦拭干净。
6. 在反射区域上喷上薄薄一层干净的水。



**注意：**为避免水流入控台内，请勿喷洒过多的水，并建议在控台上铺上一块干布防止水分渗漏。

7. 将产品随附的隔热纸灰色面撕下。
8. 小心地将灰色面隔热纸贴在反射区域上。
9. 使用产品随附的隔热纸刮片边缘，轻轻地 将隔热纸与挡风玻璃间的气泡刮除，以确保隔热纸与挡风玻璃可以紧密贴合。



隔热纸



隔热纸刮片

10. 将隔热纸周围多余的水擦掉。

---

**注意：**将隔热纸重新撕下再贴上将会降低其黏性。


---

11. Pathfinder 的底部会黏上魔鬼毡毛面，请将勾面魔鬼毡黏于车内前方控台上，接着将 Pathfinder 黏上控台并用力压紧确保两者已经紧密黏合。

## 使用 Pathfinder

1. 开启 Pathfinder 与 R710(t)/R800 卫星导航电源。
2. 在主菜单中点击 **导航 > 路径规划**。当路径设置完成后，请点击 **开始导航**。

Pathfinder 会显示方向、距离/车速及前方摄像头警告的通知图标于挡风玻璃上的反射区域。



---

**注意：**若您想要更改 Pathfinder 设置，请先退出导航模式，然后在主菜单中点击 **设置 > Pathfinder**。

---

## PathFinder 设置

请依照下列步骤设置 PathFinder：

1. 在主菜单中点击 **设置 > PathFinder**。
2. 点击您欲设置的项目以显示设置选项。
3. 选择您所需的设置。



在设置菜单中您可以进行下列设置：

项目	功能描述
PathFinder 开关	点击本项目可让您开启或关闭 PathFinder 设备。
LED 亮度调整模式	点击本项目可让您选择 LED 亮度。
导航方向显示设置	点击本项目可让您开启或关闭方向显示功能。
速度距离显示设置	点击本项目可让您选择在 PathFinder 上显示速度或距离信息，您也可以关闭本功能。
摄像头警告	点击本项目可让您开启或关闭摄像头警告功能。若开启本功能，当检测到前方有摄像头警告时，在 PathFinder 屏幕右上角的摄像头警告通知图标便会亮起。
PathFinder 版本信息	点击本项目可让您查看 PathFinder 版本信息。
LED 测试	点击本项目会自动测试 LED 亮度。









# PathFinder

Quick Start Guide

快速安裝指南

快速安裝指南