

AT3N7A-I Memory Qualified Vendors List (QVL)

PM COPY

AT3N7A-I DDR2 800 Qualified Vendors List (QVL)

T3N7A-I DDR2 800 Qualified Vendors List (QVL)											
Vendor	Part No.	Type	Size	SS/DS	Chip Brand	Chip NO.	Timing Table(Bios)	Voltage	JMM socket support (Optional)		
								A ⁺	B ⁺	C ⁺	
A-Data	AD280E001G0U	DDR2 800	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	4-4-4-12	2.0-2.1V	((
A-Data	M2GV6DG314170Q1E58	DDR2 800	1024MB	DS	VDATA	VD29608A8A-25EG80813			((
A-Data	AD2800002GMU	DDR2 800	2048MB	DS	Hynix	Heat-Sink Package			((
A-Data	AD2800E002G0U	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	4-4-4-12	1.9-2.1V	((
Apacer	78.91G9L9K5	DDR2 800	512MB	SS	Apacer	AM4B5708JQS8E0751C	5		((
Apacer	78.01GA0.9L5	DDR2 800	1024MB	SS	Apacer	AM4B5808FEWS8E0909C	5		((
Apacer	78.A1GA0.9L4	DDR2 800	2048MB	DS	Apacer	AM4B5808FEWS8E0909C	5		((
Corsair	CM2X1024-6400	DDR2 800	1024MB	DS	Corsair	Heat-Sink Package			((
Corsair	XMS2-6400	DDR2 800	1024MB	DS	Corsair	Heat-Sink Package	4		((
Corsair	XMS2-6400	DDR2 800	1024MB	DS	Corsair	Heat-Sink Package	5		((
Corsair	CM2X2048-6400C5DHX	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	5		((
Corsair	CM2X2048-6400C5	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	5		((
Crucial	BL12864AL80A.16FE5(EPP)	DDR2 800	2048MB(Kit of 2)	SS	N/A	Heat-Sink Package	4-4-4-12		((
Crucial	CT25664AA800.16FG	DDR2 800	2048MB	DS	Micron	8ZG27 D9JWB	6-6-6-12		((
Crucial	BL25664AL80A.16FE5(EPP)	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	4-4-4-12		((
Crucial	BL25664AR80A.16FE5(EPP)	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	4-4-4-12		((
G.SKILL	F2-6400CL5D-1GBNQ	DDR2 800	512MB	SS	G.SKILL	Heat-Sink Package SN:8151030036642	5-5-5-15		((
G.SkiLL	F2-6400PHU2-2GBNR	DDR2 800	1024MB	SS	N/A	Heat-Sink Package	5-5-5-15	1.9-2.0V	((
G.SKILL	F2-6400CL4D-2GBPK	DDR2 800	1024MB	DS	G.SKILL	Heat-Sink Package	4		((
G.SKILL	F2-6400CL5D-2GBNQ	DDR2 800	1024MB	DS	G.SKILL	Heat-Sink Package	5		((
G.SKILL	F2-6400CL4D-4GBPK	DDR2 800	2048MB	DS	G.SKILL	Heat-Sink Package	4		((
G.SKILL	F2-6400CL5D-4GBPQ	DDR2 800	2048MB	DS	G.SKILL	Heat-Sink Package	5		((
G.SkiLL	F2-6400CL6D-4GBMQ	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	6-6-6-18	1.8-1.9V	((
G.SKILL	F2-6400CL6Q-16GMQ	DDR2 800	4096MB	DS	N/A	Heat-Sink Package	5		((
GEIL	GB22GB6400C4DC	DDR2 800	1024MB	DS	GEIL	GL2L64M088BA30EB	5		((
GEIL	GB22GB6400C5DC	DDR2 800	1024MB	DS	GEIL	GL2L64M088BA30EB	5		((
GEIL	GB24GB6400C4QC	DDR2 800	1024MB	DS	GEIL	GL2L64M088BA30EB	4		((
GEIL	GB24GB6400C5QC	DDR2 800	1024MB	DS	GEIL	GL2L64M088BA30EB	5		((
GEIL	GE22GB800C4DC	DDR2 800	1024MB	DS	GEIL	Heat-Sink Package	4		((
GEIL	GE22GB800C5DC	DDR2 800	1024MB	DS	GEIL	Heat-Sink Package	5		((
GEIL	GE24GB800C4QC	DDR2 800	1024MB	DS	GEIL	Heat-Sink Package	4		((
GEIL	GE24GB800C5QC	DDR2 800	1024MB	DS	GEIL	Heat-Sink Package	5		((
GEIL	GX22GB6400DC	DDR2 800	1024MB	DS	GEIL	Heat-Sink Package	5	1.8V	((
GEIL	GX22GB6400UDC	DDR2 800	1024MB	DS	GEIL	Heat-Sink Package	4		((
GEIL	GB24GB6400C4DC	DDR2 800	2048MB	DS	GEIL	Heat-Sink Package	5		((
GEIL	GB24GB6400C5DC	DDR2 800	2048MB	DS	GEIL	GL2L128M88BA25AB	5		((
GEIL	GB28GB6400C4QC	DDR2 800	2048MB	DS	GEIL	GL2L128M88BA25AB	4		((
GEIL	GB28GB6400C5QC	DDR2 800	2048MB	DS	GEIL	GL2L128M88BA25AB	5		((
GEIL	GE24GB800C4DC	DDR2 800	2048MB	DS	GEIL	Heat-Sink Package	4		((
GEIL	GE24GB800C5DC	DDR2 800	2048MB	DS	GEIL	Heat-Sink Package	5		((
GEIL	GE28GB800C4QC	DDR2 800	2048MB	DS	GEIL	Heat-Sink Package	4		((
GEIL	GE28GB800C5QC	DDR2 800	2048MB	DS	GEIL	Heat-Sink Package	5		((
GEIL	GX22GB6400C4USC	DDR2 800	2048MB	DS	GEIL	Heat-Sink Package	4		((
GEIL	GX22GB6400LX	DDR2 800	2048MB	DS	GEIL	Heat-Sink Package	5		((
GEIL	GX24GB6400DC	DDR2 800	2048MB	DS	GEIL	Heat-Sink Package	5		((
Kingmax	KLDD48F-B8KUS NGES	DDR2 800	1024MB	SS	Kingmax	KKB8FNUBF-DNX-25A			((
kingmax	KLDE88F-B8KUS NHES	DDR2 800	2048MB	DS	kingmax	KKB8FNUBF-DNX-25A			((
Kingston	KVR800D2N5/512(矮版)	DDR2 800	512MB	SS	ELPIDA	E5108AJBG-8E-E		1.8V	((
Kingston	KVR800D2N6/512	DDR2 800	512MB	SS	Elpida	E5108AJBG-8E-E	6		((
Kingston	KHX6400D2LLK2/1GN	DDR2 800	1024M(Kit of 2)	SS	Kingston	Heat-Sink Package	4-4-4-12	2.0V	((
Kingston	KVR800D2N5/1G(矮版)	DDR2 800	1024MB	SS	Elpida	E1108AEBG-8E-F	5	1.8V	((
Kingston	KVR800D2N6/1G(矮版)	DDR2 800	1024MB	SS	Samsung	K4T1G084QE	6	1.8V	((
Kingston	KHX6400D2K2/2G	DDR2 800	2048MB(Kit of 2)	DS	N/A	Heat-Sink Package	5-5-5-15	2.0V	((
Kingston	KVR800D2N5/2G(矮版)	DDR2 800	2048MB	DS	Kingston	D1288TEFCGL25U	5	1.8V	((
Kingston	KVR800D2N6/2G(矮版)	DDR2 800	2048MB	DS	Samsung	K4T1G084QE	6	1.8V	((
Kingston	KVR800D2N6/4G	DDR2 800	4096MB	DS	Elpida	E2108ABSE-8G-E	6	1.8V	((
Micron	MT16HTF25664AY-800G1	DDR2 800	2048MB	DS	Micron	8ZG27 D9JWB	6-6-6-12		((
OCZ	OC22G800R22GK	DDR2 800	1024MB	DS	OCZ	Heat-Sink Package	4-5-5-15	2.0V	((
OCZ	OC22P800R22GK	DDR2 800	1024MB	DS	OCZ	Heat-Sink Package	4-4-4-15	1.9-2.1V	((
OCZ	OC22RPR8002GK	DDR2 800	1024MB	DS	OCZ	Heat-Sink Package	4-4-4-15	2.1V	((
OCZ	OC22VU8004GK	DDR2 800	1024MB	DS	OCZ	Heat-Sink Package	5-6-6-18	1.8V	((
OCZ	OC22SE8002GK	DDR2 800	2048MB(Kit of 2)	DS	N/A	Heat-Sink Package	5-5-5-15	1.8V	((
OCZ	OC22F8004GK(EPP)	DDR2 800	2048MB	DS	N/A	Heat-Sink Package	5-4-4-18	2.1V	((
OCZ	OC22P8004GK	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	5-4-4-15	2.1v	((
OCZ	OC22VU8004GK	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	5-6-6-18	1.8V	((
PSC	AL7E8F73C-8E1	DDR2 800	1024MB	SS	PSC	A3R1GE3CFF734MAA0E	5		((
PSC	AL7E8G73F-8E1	DDR2 800	1024MB	SS	PSC	P3R1GE3FGF850MAC19			((
PSC	AL8E8F73C-8E1	DDR2 800	2048MB	DS	PSC	A3R1GE3CFF734MAA0E	5		((
PSC	AL8E8G73F-8E1	DDR2 800	2048MB	DS	PSC	P3R1GE3FGF850MAC19			((
PSC	PL8E8F73C-8E1	DDR2 800	2048MB	DS	PSC	SHG772-AA3G	5		((
PSC	PL8E8G73E-8E1	DDR2 800	2048MB	DS	PSC	XCP271A3G-A	5		((
SAMSUNG	M378T6553G2S-CF7	DDR2 800	512MB	SS	Qimonda	K4T51083QG-HCF7	6		((

SAMSUNG	M378T2863EHS-CF7	DDR2 800	1024MB	SS	Samsung	K4T1G084QE		((
SAMSUNG	M378T2863QZS-CF7	DDR2 800	1024MB	SS	Qimonda	K4T1G084QQ-HCF7	6	((
SAMSUNG	M378T2953GZ3-CF7	DDR2 800	1024MB	DS	Samsung	K4T51083QG		((
SAMSUNG	M378T2953GZ3-CF7	DDR2 800	1024MB	DS	Samsung	K4T51083QG-HCF7	6	((
SAMSUNG	M378T5663QZ3-CF7	DDR2 800	2048MB	DS	Samsung	K4T1G084QQ-HCF7	6	((
SAMSUNG	M378T5263AZ3-CF7	DDR2 800	4096MB	DS	Samsung	K4T2G084QA-HCF7		((
Super Talent	T800UB1GC4	DDR2 800	1024MB	DS	Super Talent	Heat-Sink Package	4	1.8V	((
Transcend	TS64MLQ64V8J	DDR2 800	512MB	SS	Micron	7HD22 D9GMH	5		((
Transcend	JM800QLU-1G	DDR2 800	1024MB	SS	Transced	TQ1243PCF8	5		((
Transcend	TS128MLQ64V8U	DDR2 800	1024MB	SS	ELPIDA	E1108ACBG-8E-E	5		((
Transcend	JM800QLJ-1G	DDR2 800	1024MB	DS	Transced	TQ123PJF8F0801	5		((
Transcend	JM800QLJ-1G	DDR2 800	1024MB	DS	Transcend	TQ123YBF8 T0747	5		((
Transcend	TS128MLQ64V8J	DDR2 800	1024MB	DS	Mircron	7HD22D9GMH	5		((
Transcend	JM800QLU-2G	DDR2 800	2048MB	DS	Transced	TQ243PCF8	5		((
Transcend	TS256MLQ64V8U	DDR2 800	2048MB	DS	Elpida	E1108ACBG-8E-E	5		((
ASINT	SLY2128M8-JGE	DDR2 800	1024MB	SS	ASINT	DDR11208-GE 8115			((
ASINT	SLZ2128M8-JGE	DDR2 800	2048MB	DS	ASINT	DDR11208-GE 8115			((
Century	28VOH8	DDR2 800	1024MB	DS	Hynix	HY5PS12821CFP-S5	5		((
Elixir	M2Y1G64TU88D5B-AC 0828.GS	DDR2 800	1024MB	SS	Elixir	N2TU16800E-AC			((
Elixir	M2Y2G64TU8HD5B-AC 0826.SG	DDR2 800	2048MB	DS	Elixir	N2TUG80DE-AC			((
Kingtiger	M9CA0Y6109	DDR2 800	1024MB	DS	Hynix	HY5PS12821C FP-S5			((
Kingtiger	KTG2G800PG2	DDR2 800	2048MB	DS	N/A	Heat-Sink Package			((
Kingtiger	M9CA0X8793	DDR2 800	2048MB	DS	Hynix	HY5PS1G831C FP-S6			((
Kingtiger	KTG2RX16P ST-01	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	5-5-5-15	1.9V	((
MDT	MDT 512MB	DDR2 800	512MB	SS	MDT	18D 51280D-2.50726F	5		((
MDT	MDT 1024MB	DDR2 800	1024MB	DS	MDT	18D 51280D-2.50726E	5		((
PATRIOT	PDC24G6400ELK	DDR2 800	4096MB(Kit of 2)	DS	N/A	Heat-Sink Package	5-5-5-12	2.0V	((
TAKEMS	TMS51B264C081-805EP	DDR2 800	512MB	SS	takeMS	MS18T 51280-2.5P0710	5		((
TAKEMS	TMS1GB264D082-805EE	DDR2 800	1024MB	SS	TAKEMS	WS18T1G80-205 E0905	5		((
TAKEMS	TMS1GB264C081-804EE	DDR2 800	1024MB	DS	TAKEMS	Heat-Sink Package	4-4-4-12		((
TAKEMS	TMS1GB264C081-805EP	DDR2 800	1024MB	DS	takeMS	MS18T 51280-2.5P0716	5		((
TAKEMS	TMS2GB264D081-805KE	DDR2 800	2048MB	DS	TAKEMS	MS18T1G80-205 E0907	5		((
UMAX	D48001GP3-63BJU	DDR2 800	1024MB	DS	UMAX	U2S12D30TP-8E			((
UMAX	D48002GP0-73BCU	DDR2 800	2048MB	DS	UMAX	U2S24D30TP-8E	5		((
V-Data	M2GVDEG3H3160Q1E52	DDR2 800	512MB	SS	VDATA	VD29608A8A-25EG20813			((
V-Data	M2XSSKG3147C1L1C5Z	DDR2 800	1024MB	DS	Samsung	K4T51083QE			((
V-Data	M2XHYKH3J47CC01E5Z	DDR2 800	2048MB	DS	Hynix	H5PS1G83EFRS6C 852AK			((
Vendor	PartNum.	DDRType	Size	SS/DS	Chip Brand	ChipNum.	Timing - Dimm(Bios)	Vol.		

4 Dimm :

- **A***: Supports **one module** inserted in any slot as Single-channel memory configuration
- **B***: Supports **one pair of modules** inserted into either the blue slots or the black slots as one pair of**Dual-channel** memory configuration
- **C***: Supports **4 modules** inserted into both the blue and black slots as two pairs of Dual-channel memory configuration

Notes 請按此頁

-When installing total memory of 4GB capacity or more, Windows 32-bit operation system may only recognize less than 3GB. Hence, a total installed memory of less than 3GB is recommended.

-It is recommended to install the memory modules from the slots for better overclocking capability.

-The default DIMM frequency depends on its Serial Presence Detect (SPD), which is the standard way of accessing information from a memory module. Under the default state, some memory modules for overclocking may operate at a lower frequency than the vendor-marked va

