

2. Hardware Periphery Compatibility

2.0. Apple(R) iPod Series Deivce

[✓]: Win7 Ready

Type	Model		O.S. Environment
USB 2.0	iPod	iPod touch 8G	✓ *Suggest to use this device with USB port that is provided by PCH.
		iPod Classic 160G	✓ *Suggest to use this device with USB port that is provided by PCH.
	iPhone	iPhone 3GS 16G	✓ *Suggest to use this device with USB port that is provided by PCH.
		iPhone 4 16G	✓ *Suggest to use this device with USB port that is provided by PCH.
	iPad	iPad Wifi 16G	✓ *Suggest to use this device with USB port that is provided by PCH.

2.1. Hard Drives

[✓]: Win7 Ready

Type	Model		O.S. Environment
SATA150	WD	WD WD1500ADFD	✓
SATA300	Hitachi	Hitachi HDP725050GLA360	✓
		Hitachi HDP725050GLA380	✓
		Hitachi HDS721010KLA330	✓
		Hitachi HDT721010SLA360	✓
		Hitachi HDS721010CLA332	✓
	Samsung	Samsung HD HD501LJ	✓
		Samsung HD321KJ	✓
		Samsung HD161HJ	✓
		Samsung HD501LJ	✓
		Samsung HD753LJ	✓
		Samsung HD502IJ	✓
		Samsung HD103UJ	✓
		Samsung HD103SJ	✓
	Seagate	Seagate ST3250310AS	✓
		Seagate ST3750640AS	✓
		Seagate ST3750330AS	✓
		Seagate ST31500341AS	✓
		Seagate ST31000528AS	✓

Type	Model		O.S. Environment
SATA300	Seagate	Seagate ST3250310AS	✓
		Seagate ST3500320NS	✓
		Seagate ST3500418AS	✓
		Seagate ST3500620SS	✓
		Seagate ST31000340NS	✓
		Seagate ST3160813AS	✓
		Seagate ST31000333AS	✓
		Seagate ST33000651AS	✓
	WD	WD WD800JD	✓
		WD WD1600AAJS	✓
		WD WD2500JS	✓
		WD WD3200AAKS	✓
		WD WD5000ABYS	✓
		WD WD5000AAKS	✓
		WD WD10EVVS	✓
		WD WD10EACS	✓
		WD WD20EADS	✓
		WD WD3000GLFS	✓
		WD WD6400AAKS	✓
		WD WD6401AALS	✓
SATA 6G	Seagate	Seagate ST32000641AS	✓
	WD	WD WD6402AAEX	✓
		WD WD1002FAEX	✓
	OCZ	OCZ C300	✓
SSD	Adata	Adata SSD-064	✓
	G.skill	G.Skill FM-25S2S-064	✓
	Kingfast	Kingfast KF2501-128S-128	✓
	Mtron	Mtron MSD-SATA3525-032	✓
	OCZ	OCZ Core-Series-V2-120	✓
		OCZ Core-Series-V2-030	✓
	Patriot	Patriot PE32GS25SSD-032	✓

2.2. Video Cards

[✓]: Win7 Ready

Type	Model		O.S. Environment
ATi Chipset	ASUS	ASUS EAH3450/HTP/512M/A (BIOS: V95C5.10.79.0.1.AS09)	✓
		ASUS EAH4350 SILENT/DI/512MD2 (BIOS: V954F.11.12.0.2.AS02)	✓
		ASUS EAH4550/DI/512MD3/A (BIOS: V9540.11.10.0.2.AS01)	✓

Type	Model		O.S. Environment
ATi Chipset	ASUS	ASUS EAH4650/DI/512MD2/A (BIOS: V9498.11.10.0.2.AS01)	✓
		ASUS EAH4670/DI/1G/A (BIOS: V9490.11.15.0.12.AS01 V9490.11.12.0.2.AS02)	✓
		ASUS EAH4870/2DI/1GD5 (BIOS: V9440.11.17.0.18.AS01)	✓
		ASUS EAH4890/HTDI/1GD5/A (BIOS: V9460.11.22.1.0.AS01 V9460.11.22.2.1.AS02)	✓
		ASUS EAH5450 SILENT/DI/1GD3 (BIOS: 68F9.12.16.0.2.AS01)	✓
		ASUS EAH5570 SILENT/DI/1GD2/A (BIOS: V68D9.12.19.0.3.AS01)	✓
		ASUS EAH5670/DI/1GD5/A (BIOS: 68D8.12.17.0.4.AS01)	✓
		ASUS EAH5770/2DIS/1GD5/A (BIOS: V68B8.12.12.0.3.AS01)	✓
		EAH5830 DIRECTCU/2DIS/1GD5 (BIOS: V689E.12.20.0.1.AS01)	✓
		ASUS EAH5850/2DIS/1GD5/A (BIOS: V6899.12.11.0.6.AS01)	✓
		ASUS EAH5870/2DIS/1GD5/A (BIOS: V6898.12.11.0.6.AS01)	✓
		ASUS EAH5970/2DS/2GD5/A (BIOS: 689C.12.13.0.2.AS03)	✓
	HIS	HIS HD4670/512MB/DDR3 ICEQ TURBO (BIOS: V011.013.000)	✓
		HIS HD4830/512MB/DDR3 (BIOS: V011.015.000)	✓
	Palit	Palit Radeon HD4850/512M/DDR3 (BIOS: V011.008.000)	✓
	Powercolor	Powercolor HD 5750/1GB/DDR5 (BIOS: 012.013.000.000.034633)	✓
	Sapphire	Sapphire HD4850X2/2G/DDR3 (BIOS: V011.011.000)	✓
		Sapphire HD5450/512M (BIOS: 113-BAE15300-001)	✓
	Unika	Unika HD5550 V512+ (BIOS: 012.020.000.010.035840)	✓
nVidia Chipset	ASUS	ASUS EN8400GS SILENT/HTP/512M	✓
		ASUS EN9500GT /DI/1G/A(C729P) (BIOS: V62.94. 4B.00.AS18)	✓
		ASUS EN210/DI/512MD2/A (BIOS: 70.18.2D.00.AS01)	✓
		ASUS ENGTX220/DI/1GD3/LP (C684P) (BIOS: V70.16.2E.00.AS01)	✓
		ASUS ENGTX260MT/HTDI/896MD3/A (BIOS: V62.00.49.00.AS01)	✓
		ASUS ENGTX275/HTDI/896MD3/A(C897P) (BIOS: V62.00.60.00.AS01)	✓
		ASUS ENGTX295/2DI/1792MD3 (P658) (BIOS: V62.00.6C.00.AS01)	✓
		ASUS ENGTX460/2DI/768MD5 (BIOS: V70.04.0B.00.AS01)	✓
		ASUS ENGTX465/2DI/1GD5/P1025 (BIOS: 70.00.21.00.AS03)	✓
		ASUS ENGTX470/2DI/1280MD5 (Bios: V70.00.39.00.AS01)	✓
	BFG	BFG GeForce9600GTD512M (BIOS: V62.94.11.00.14)	✓
	EVGA	EVGA GeForce9400GT 512M (BIOS: V62.94.29.00.40)	✓
	Gainward	Gainward 9800GT/512M (BIOS: V62.92.6D.00.0G)	✓
	Gigabyte	Gigabyte GV-260C-896H (BIOS: V62.00.4C.00.01)	✓
	PNY	PNY GeForce9600GT 512M (BIOS: V62.94.21.00.51)	✓

Type	Model		O.S. Environment
<i>nVidia Chipset</i>	<i>XFX</i>	<i>XFX GeForce 8600GTS (BIOS: V60.84.18.00.83)</i>	✓
		<i>XFX GeForce9500GT 512M (BIOS: V62.94.4B.00.71)</i>	✓
		<i>XFX GeForce GTS250 512MB (BIOS: V62.92.79.00.07)</i>	✓

2.3. Peripheral

[✓] : Win7 Ready

2.3.1. Audio

2.3.1.1 Audio Decoder

Type	Model		O.S. Environment
<i>SPDIF</i>	<i>Logitech</i>	<i>Z-5400 DIGITAL</i>	✓
	<i>Logitech</i>	<i>Z5500 Digital</i>	✓
	<i>Onkyo</i>	<i>TX-SA805</i>	✓

2.3.1.2 Earphone Devices

Type	Model		O.S. Environment
<i>Earphone</i>	<i>AKG</i>	<i>K701</i>	✓
	<i>Philips</i>	<i>SHM7410</i>	✓
	<i>Beyerdynamic</i>	<i>DT 880</i>	✓
<i>Ear-Mic</i>	<i>Somic</i>	<i>EP-10</i>	✓

2.3.1.3 Microphone Devices

Type	Model		O.S. Environment
<i>Dynamic</i>	<i>Audio-technica</i>	<i>AT-VD5</i>	✓
	<i>Somic</i>	<i>DANYIN-DM-021</i>	✓
	<i>Salar</i>	<i>M6</i>	✓

2.3.1.4 Sound Adapters

Type	Model		O.S. Environment
<i>PCI</i>	<i>Terrate</i>	<i>Aureon Explorer 7.1</i>	✓
<i>PCIEX1</i>	<i>ASUS</i>	<i>XONAR HDAV1.3 DELUXE</i>	✓
	<i>Creative</i>	<i>X-Fi Ttreme</i>	✓
<i>USB 2.0</i>	<i>ASUS</i>	<i>Audio Xonar U1</i>	✓

2.3.1.5 Speaker

Type	Model		O.S. Environment
<i>Line out</i>	<i>Creative</i>	<i>Gigaworks T20</i>	✓
		<i>T7900</i>	✓
		<i>InspireT7700</i>	✓
	<i>Edifier</i>	<i>DA5000</i>	✓
	<i>Logitech</i>	<i>Z-5500</i>	✓
		<i>Z-5400</i>	✓
Type	Model		O.S. Environment
<i>USB 1.1</i>	<i>Edifier</i>	<i>R10U</i>	✓
	<i>Logitech</i>	<i>V10</i>	✓
		<i>S-150 USB</i>	✓
	<i>Microlab</i>	<i>MD-521</i>	✓

2.3.2 Controller Cards

2.3.2.1. 1394

Type		Model	O.S. Environment
PCI	PHIYO	1394A+B COMBO	✓
PCIEX1	Uzlab	PCIE/1394A	✓

2.3.2.2. SATA

Type		Model	O.S. Environment
PCIEX1	HighPoint	Rocket620A	✓
PCIEX4	ASUS	U3S6-1.02G (BIOS: V0.0.0.1012)	✓

2.3.2.3. SATA RAID

Type		Model	O.S. Environment
PCIEX1	Adaptec	AAR-1220SA (BIOS: V6.0-0 Build 2330)	✓
	HighPoint	RocketRAID620 (BIOS: V1.0)	✓
	HighPoint	RocketRAID2300	✓
PCIEX4	HighPoint	RocketRAID640 (BIOS: V1.0)	✓
PCIEX8	HighPoint	RocketRAID2340 (BIOS: V1.4)	✓

2.3.2.4. SAS RAID

Type		Model	O.S. Environment
PCIEX4	HighPoint	RocketRAID 2640	✓

2.3.2.5 TPM Devices

Type		Model	O.S. Environment
TPM	INFINEON	NFINEON	✓

2.3.3. Ethernet

2.3.3.1. 100 BaseTx Networking Cards

Type		Model	O.S. Environment
PCI	TP-Link	TP-Link-TF-3239DL	✓
	Tenda	Tenda L8139D	✓
	Intel	Intel Pro/100s	✓
USB 2.0	Z-Tek	Z-Tek ZK-R07	✓

2.3.3.2. 1000 BaseTx Networking Cards

Type		Model	O.S. Environment
PCI	Intel	Intel Pro/1000GT	✓
	ASUS	ASUS NX1101	✓
	TP-Link	TP-Link-TG-3269C	✓
PCIEX1	Intel	1000PT	✓
	EVGA Kille	EVGA Killer XENO Pro	✓
	Netcore	Netcore 7010Net	✓
	Syskonnect	Syskonnect SK-9E21D	✓
PCIEX4	Intel	EXPI9402PT	✓

2.3.3.3. Networking Hubs/Switches/Routers

Type		Model	O.S. Environment
Switch	ASUS	GIGAX1105	✓
		GIGAX1108N	✓
		GIGAX1124X	✓
		GIGAX2124X	✓
	D-Link	DES-1008D	✓
		DGS-1008D	✓
		DGS-1008T	✓
		DES-1016D	✓
	Linksys	SD2008	✓
		SD208	✓
	Netgear	GS608	✓
		FS608	✓
	Netcore	NSW1324M	✓
Router	ASUS	RX3042HC	✓
	D-Link	DI-604+	✓
	Linksys	RV042	✓
	Netgear	RP614	✓

2.3.3.4. Wireless Networking

Type		Model	O.S. Environment
PCI	D-Link	DWA-547	✓
USB2.0	D-Link	DWA-131	✓
	NETGEAR	WN111	✓
	ASUS	USB-N13	✓
	Linksys	WUSB54G-N	✓

2.3.3.5. Wireless LAN Access Point

Type		Model	O.S. Environment
AP	ASUS	RT N15	✓
	Buffalo	WZR2-G300N	✓
	D-Link	DIR-635	✓
	Linksys	WRT160N	✓
	Netgear	WNDR3300	✓

2.3.4. Keyboards/Mice

2.3.4.1. Keyboards

Type		Model	O.S. Environment
Bluetooth	Logitech	Y-RCP140	✓
		MX5500 Revolution	✓
	Microsoft	Wireless Entertainment Desktop 6000	✓ *Suggest to use this device with USB port that is provided by PCH.

Type	Model		O.S. Environment
PS/2	Win2	X7 G800	✓
USB 1.1 / USB 2.0	Apple	MB110LL/A	✓ *Suggest to use this device with USB port that is provided by PCH.
	Cherry	G80	✓
	Dell	SK-8135	✓
	Microsoft	Natural Ergonomic Keyboard4000	✓ *Suggest to use this device with USB port that is provided by PCH.
		Reclusa	✓
	Majestouch	Filco Fkbn104ML/EB	✓
	LG	ST510U	✓
	Logitech	G19	✓ *Suggest to use this device with USB port that is provided by PCH.
	Razer	Lycosa	✓ *Suggest to use this device with USB port that is provided by PCH.
		Tarantula-VZ03	✓
		Arctosa-RZ03-0026	✓

2.3.4.2. Keyboard + Mice Combos

Type	Model		O.S. Environment
Bluetooth	Logitech	Desktop Wave	✓
	Microsoft	Wireless Desktop 3000	✓ *Suggest to use this device with USB port that is provided by PCH.
		Wireless Entertainment Desktop 8000	✓
	WIN2	G7600	✓
PS/2	Logitech	SU61	✓
	RAPOO	N3900	✓
USB1.1/USB2.0	Microsoft	Wireless Optical Desktop Elite	✓ *Suggest to use this device with USB port that is provided by PCH.
Type	Model		O.S. Environment
USB1.1/USB2.0	Logitech	Cordless Desktop S510	✓
		Y-RCP140	✓ *Suggest to use this device with USB port that is provided by PCH.
		Cordless Desktop MX3200 Laser	✓ *Suggest to use this device with USB port that is provided by PCH.
	T.C.STAR	KIT9901	✓ *Suggest to use this device with USB port that is provided by PCH.
	MSI	Wireless Combo 630	✓

2.3.4.3. Mice

Type	Model		O.S. Environment
Bluetooth	ASUS	MS7124-WHT/RF2.4	✓
	Logitech	MX-R	✓ *Suggest to use this device with USB port that is provided by PCH.
PS/2	Win2	OP-220	✓
Serial	Win2	OK-720	✓
USB 1.1/ USB 2.0	Apple	M5769	✓
	Lenovo	LS-1000	✓
	Logitech	Gaming Mouse G500	✓ *Suggest to use this device with USB port that is provided by PCH.
		G5	✓ *Suggest to use this device with USB port that is provided by PCH.
	Icon7	Z500 Gaming laser mouse MZ01	✓
	Microsoft	Explorer 4.0	✓ *Suggest to use this device with USB port that is provided by PCH.
		Sidewinder X3	✓ *Suggest to use this device with USB port that is provided by PCH.
	Philips	SPM1700	✓
	ELECOM	SCOPE NODE400	✓
	Razer	Lachesis	✓ *Suggest to use this device with USB port that is provided by PCH.
		NAGA-RZ01-0028	✓ *Suggest to use this device with USB port that is provided by PCH.

2.3.5. Monitor

Type	Model		O.S. Environment
D-Sub	Acer	T230H	✓
	AOC	201V	✓
		2216VW+	✓
		716sw	✓
			✓
	ASUS	LS201	✓
		MW221U	✓
		PG221	✓
		VK191T	✓
		VW193T	✓
		VW223B	✓
			✓
			✓
	BenQ	E2220HDP	✓
		FP94VW	✓

Type	Model		O.S. Environment
D-Sub	BenQ	FP222WH	✓
		G2400W	✓
	Dell	2407WFP	✓
		2408WFP	✓
		3008WFP	✓
		U2711	✓
	HP	W2408H	✓
	LG	L204WT	✓
		L226WTQ	✓
		W2442PA	✓
	Philips	220EW8	✓
		220XW8	✓
		240BW8	✓
	Samsung	2033SW	✓
		214T	✓
		2232GW+	✓
		225UW	✓
		2343BW	✓
		740NW	✓
		T220	✓
	Sony	KLV46X200A	✓
	Viewsonic	VA1716w	✓
		VA2016w	✓
DVI	AOC	201V	✓
		2216VW+	✓
		619FH	✓
	AOC	F19	✓
	ASUS	LS201	✓
		MW221C	✓
		MW221U	✓
		PG221	✓
		VK191T	✓
		VW193T	✓
		VW202T	✓
	BenQ	E2220HDP	✓
		FP222WH	✓
		FP94VW	✓
		G2400W	✓
	Dell	2407WFP	✓
		3008WFP	✓
	HP	LP3065	✓
	LG	L204 WT	✓
		L226WTQ	✓

Type	Model		O.S. Environment
DVI	LG	W2442PA	✓
	Philips	220EW8	✓
		220XW8	✓
		240BW8	✓
	Samsung	2033SW	✓
		214T	✓
		2232GW+	✓
		225MS	✓
		225UW	✓
		2343BW	✓
		T220	✓
	Viewsonic	VP231wb	✓
		VP950B	✓
HDMI	BenQ	FP222WH	✓
		FP94VW	✓
		G2400W	✓
		VJ2611	✓
	Dell	3008WFP	✓
		U2711	✓
	HP	W2408H	✓
	LG	W2442PA	✓
	Philips	220XW8	✓
	Sharp	LCD-52RX1	✓
	Sony	KL V46X200A	✓
	Toshiba	42RV500G	✓
	Viewsonic	VX2640W	✓

2.3.6. Optical Drives

Type	Model		O.S. Environment
IDE	ASUS	ASUS DRW-22D1S	✓
		ASUS DVD-E818A4	✓
	Pioneer	Pioneer DVR-116BXL	✓
	Samsung	Samsung TS-H662	✓
	Sony	Sony DRU-190A	✓
SATA	ASUS	ASUS BC-1205PT	✓
		ASUS BR-04B2T	✓
		ASUS DRW-24B1LT	✓
		ASUS BC-08B1LT	✓
	BenQ	BenQ DW240S	✓
	LG	LG GH22NS30	✓
		LG GH22NS40	✓
		LG GGW-H20L	✓

Type	Model		O.S. Environment
SATA	Lite-On	Lite-On IHAS322	✓
		Lite-On IHOS104	✓
		Lite-On IHAS524	✓
		Lite-On iHAS120	✓
		Lite-On DH-20A3S	✓
		Lite-On IHAS324	✓
	MSI	MSI DH-24AS	✓
	Pioneer	Pioneer-BDR-S05XLB	✓
		Pioneer DVR-213K	✓
		Pioneer DVR-216BXL	✓
	Plextor	Plextor PX-880SA	✓
	Samsung	Samsung SH-S223C	✓
		Samsung SH-S223	✓
	Sony	Sony AD-7241S	✓
		Sony DRU-845S	✓
		Sony DRU-190S	✓
USB2.0	ASUS	ASUS SBC-04D1S-U	✓
		ASUS SDRW-08D1S-U	✓
	LG	LG GE20LU10	✓
		LG GSA-E50L	✓
	Lite-On	Lite-On eSAU108	✓
	MSI	MSI UO800	✓
	Pioneer	Pioneer DVR-X162	✓
USB3.0	Buffalo	BUFFALO BR-X1216U3	✓

*Suggest to use this device with USB port that is provided by PCH.

2.3.7.Power Supplies

M/B測試常用電源		
	Model	O.S. Environment
ASUS	P-50GA	✓
	ASUS P-55GA	✓
	ASUS U-65GA	✓
	ASUS U-75HA	✓
Antec	SG-850	✓
	EA500	✓
	TruePower Quattro 850w	✓
	EA-380	✓
Be quiet	BQT E6-450W	✓
	BQT L6-UA-350W	✓
Bubalus	PE600WJD	✓
CoolerMaster	RS-B00-AAAA-A3	✓
	RS-C50-EMBA-D2	✓

Model		O.S. Environment
CoolerMaster	RS-850-EMBA	✓
	RS-430-ASAA	✓
	RS-460-ASAA-D3	✓
Corsair	CMPSU-550VX	✓
	CMPSU-650HX	✓
	CMPSU-750TX	✓
Century Star	Diamond500+	✓
	ST-ATX340	✓
COMMANDER	IRP-COM750	✓
EnerMAX	EGA1000EWL	✓
FSP	ATX-300PNR	✓
GoldenField	860ELA	✓
GreatWall	BTX-600SE	✓
Huntkey	多核R85	✓
	Multicore F1	✓
	HugeRock500	✓
	冷靜王鋁石版Win7	✓
	HK1000-11PEP-X7 900	✓
Segotep	SG-850EPS	✓
OCZ	Sliencer 750W	✓
SAMA	YUHUI 350P	✓
Seasonic	SS-750KM	✓
	SS-850EM	✓
	SS-550HT	✓
Seventeam	ST-400EAF-05F	✓
	ST-522HLP	✓
	ST550EAJ-05F	✓
Sharkoon	SHA-R600M	✓
Tagan	TG1100-U33	✓
Thermaltake	Toughpower Power Express 650W	✓
	AH680A	✓
	Toughpower 1200W	✓
	Toughpower 1500W	✓
TOPower	TOP-500P5	✓

2.3.8. Printers/Scanners

2.3.8.1. Printer

Type	Model		O.S. Environment
USB 2.0	Canon	MX308	✓
	Epson	Office 360	✓
	HP	ColorLaserjet 1600	✓

2.3.8.2. Scanner

Type	Model		O.S. Environment
USB 2.0	Canon	Canoscan 8800F	✓
	Epson	Office 360	✓
	Epson	Perfection V30	✓
	HP	ScanJet-G3110	✓

2.3.9. TV Cards

Type	Model		O.S. Environment
PCI	Compro	Vista H900F	✓
PCIEX1	Aver	Media H727	✓
USB 2.0	10Moons	UT822	✓
	Aver	A833	✓ *Suggest to use this device with USB port that is provided by PCH.
	Aver	A855i	✓ *Suggest to use this device with USB port that is provided by PCH.
	MyGica	UT550	✓ *Suggest to use this device with USB port that is provided by PCH.

2.3.10 USB Storage

2.3.10.1 Card Readers

Type	Model		O.S. Environment
USB 2.0	SSK	SCRM010	✓
	ATP	ProMax	✓
	Transcend	Multi Card Reader TS-RDM3	✓

2.3.10.2 External Enclosures

Type	Model		O.S. Environment
USB 2.0	ASUS	VENTO-PORTABLE	✓ *Suggest to use this device with USB port that is provided by PCH.
	BenQ	DP303	✓ *Suggest to use this device with USB port that is provided by PCH.
	Buffalo	HD CE640U2	✓
	EPS	S500-1	✓
	Maxtor	Stm315005ehm301-Rk	✓ *Suggest to use this device with USB port that is provided by PCH.
	STARDOM	SR3610-2S-SB2	✓
	Seagate	ST903203FGG201-RK	✓ *Suggest to use this device with USB port that is provided by PCH.

Type	Model		O.S. Environment
USB 2.0		Free Agent XTreme (1TB)	✓ *Suggest to use this device with USB port that is provided by PCH.
	WD	WD5000H1CS	✓ *Suggest to use this device with USB port that is provided by PCH.
		My Book Studio Edition(1TB)	✓ *Suggest to use this device with USB port that is provided by PCH.
		My Book Studio Edition II	✓ *Suggest to use this device with USB port that is provided by PCH.
	Newsmy	YIJIAN USB2.0/E-320G	✓ *Suggest to use this device with USB port that is provided by PCH.
	Zynet	D4-U2	✓
USB3.0	AGESTAR	3UBT-USB3	✓
	Buffalo	BUF-HD-HXU3	✓
		BUF-HD-H1.5XU3	✓
	CENDA	C601U-5G	✓
	CYBER SLIM	CASE USB3.0-SI-U3	✓
	DOTOP	USB3.0-HARD DRIVE-160GB	✓
	EGO	IOMEGA-USB3-500G	✓
		IOMEGA-USB3-2T	✓
	I/O DATA	HDJ-UT1.0-USB3.0	✓
	OCZ	SSDU3-1ENY64G	✓
	PQI	HD566 320G	✓
	SHARKOOM	SATA QUICKPORT USB3.0	✓
	UNITEK	USB3.0 HDD ENCLOSURE Y-3251	✓
		USB3.0 HDD DOCKING Y-1072	✓

2.3.10.3 Floppy Drives

Type	Model		O.S. Environment
USB 1.1	Mitsumi	D353FUE	✓
	Sony	MPF82E-U1	✓

2.3.10.4 USB Flash Devices

Type	Model		O.S. Environment
USB 2.0	Adata	C903	V *Suggest to use this device with USB port that is provided by PCH.
	AIGO	L8202	✓
	Apacer	AH302	✓ *Suggest to use this device with USB port that is provided by PCH.
		HE320	✓ *Suggest to use this device with USB port that is provided by PCH.

Type	Model		O.S. Environment
USB 2.0	Corsair	Flash Voyager	✓ *Suggest to use this device with USB port that is provided by PCH.
	IMate	combo driver	✓
	KingMax	Super Stick mini	✓ *Suggest to use this device with USB port that is provided by PCH.
		U208G	✓
		U204G	✓ *Suggest to use this device with USB port that is provided by PCH.
	Kingston	DT G2	✓ *Suggest to use this device with USB port that is provided by PCH.
		DT150	✓
		DT100	✓ *Suggest to use this device with USB port that is provided by PCH.
		DT120	✓ *Suggest to use this device with USB port that is provided by PCH.
		DTI	✓ *Suggest to use this device with USB port that is provided by PCH.
	KingSpec	KSD-eSA.1-008MJ	✓
	Netac	U235	✓ *Suggest to use this device with USB port that is provided by PCH.
	PNY	Lovely Attache	✓ *Suggest to use this device with USB port that is provided by PCH.
	PQI	U262	✓ *Suggest to use this device with USB port that is provided by PCH.
		U273	✓
	Sandisk	Cruzer Micro CZ6	✓
		BL0808NG	✓
	Teclast	CF32G	✓ *Suggest to use this device with USB port that is provided by PCH.
	Toshiba	K2FMG	✓ *Suggest to use this device with USB port that is provided by PCH.
	Transcend	JetFlash V60	✓

Type	Model		O.S. Environment
USB 3.0	ADATA	NOBILITY N005	✓
	Kingston	DTU30	✓
	SUPER TALENT	ST3U16EDK	✓

2.3.10.5 USB Hubs

Type	Model		O.S. Environment
USB 2.0	Apacer	PH151	✓ *Suggest to use this device with USB port that is provided by PCH.
	Belkin	F5U237	✓ *Suggest to use this device with USB port that is provided by PCH.
	D-Link	Dub-H4	✓ *Suggest to use this device with USB port that is provided by PCH.
	Z-tek	ZE341	✓ *Suggest to use this device with USB port that is provided by PCH.
	Dell	2408WFP(Monitor)	✓

2.3.11. Others Input Device:

2.3.11.1 Digital Camcorders

Type	Model		O.S. Environment
USB 2.0	Sony	HDR-SR7E	✓

2.3.11.2 Digital Cameras

Type	Model		O.S. Environment
USB 2.0	Canon	IXUS 850IS	✓
	Kodak	P850	✓
	Panasonic	DMC-FZ20	✓
	Sony	Cybershot DSC-T9	✓

2.3.11.3 Tablets

Type	Model		O.S. Environment
USB 2.0	Wewa	CHUNQIU DYNASTY-V9.1	✓
	Hanwang	MSL0504	✓
	PenPower	Touch Pad PD8UE	✓

2.3.11.4 PC Game Controller

Type	Model		O.S. Environment
USB 1.1	Betop	Hawk BTP-C036	✓
	Logitech	Extreme 3D PRO	✓
	Logitech	G25 Racing wheel	✓
USB 2.0	Microsoft	XBOX 360 Controller	✓

2.3.11.5 Web Cams

Type	Model		O.S. Environment
USB 2.0	Logitech	C500	✓
		C200	✓
	Microsoft	LifeCam Cinema	✓
	Topspeed	Huihuang05	✓
		T68	✓
	10Moons	T24	✓

Note:

A. New devices and products are launched rapidly.

To ensure the optimum product compatibility, ASUS adopts compound combinations and mixed tests to examine multiple operating systems and devices.

B. ASUS sincerely invite equipment manufacturers to create a win-win cooperation on increasing product compatibility. Please contact us via local service centers or the e-mail provided below: Emily_chen@asus.com