

Size	Vendor	Part No.	CL	Chip Brand	SS/DS	Chip No.	DIMM socket support (Optional)		
							A*	B*	C*
DDR2 533 1G	Kingston	KVR533D2N4/1G	N/A	Hynix	DS	HY5PS12821EFP-Y5	N/A	Pass	Pass
DDR2 533 1G	HY	HYMP512U64CP8-C4 AB	4	Hynix	DS	HY5PS12821CFP-C4	N/A	Pass	Pass
DDR2 533 512MB	Elpida	EBE51UD8ABFA-5C-E	N/A	Elpida	SS	E5108AB-5C-E	N/A	Pass	Pass
DDR2 533 512MB	Transcend	512MB DDR2 533 ECC	N/A	Micron	SS	6ND22D9GCT(ECC)	N/A	Pass	Pass

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration

Size	Vendor	Part No.	CL	Chip Brand	SS/DS	Chip No.	DIMM socket support (Optional)		
							A*	B*	C*
DDR2 667 512MB	Qimonda	HYS64T64000EU-3S-B2	5	Qimonda	SS	HYB18T512B00B2F3SFSS28171	N/A	Pass	Pass
DDR2 667 1G	Corsair	XMS2-5400	4	Corsair	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 667 1G	ADATA	M2OAD5G314170Q1C58	N/A	ADATA	DS	AD29608A8A-3EG80814	N/A	Pass	Pass
DDR2 667 2G	ADATA	M2OAD5H3J4170I1C53	N/A	ADATA	DS	AD20908A8A-3EG 30724	N/A	Pass	Pass
DDR2 667 1G	PSC	AL7E8F73C-6E1	5	PSC	SS	A3R1GE3CFF734MAA0J	N/A	Pass	Pass
DDR2 667 1G	Nanya	NT1GT64U8HB0BY-3C	5	Nanya	DS	NT5TU64M8BE-3C72155700CP	N/A	Pass	Pass
DDR2 667 2G	GEIL	GX24GB5300LDC	5	GEIL	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 667 1G	Super Talent	T667UB1GV	5	Super Talent	DS	PG 64M8-800 0750	N/A	Pass	Pass
DDR2 667 512MB	Twinmos	8D-A3JK5MPETP	5	PSC	SS	A3R12E3GEF633ACAOY	N/A	Pass	Pass
DDR2 667 1G	ELIXIR	M2Y1G64TU8HA2B-3C	5	ELIXIR	DS	M2TU51280AE-3C717095R28F	N/A	Pass	Pass

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration

Size	Vendor	Part No.	CL	Chip Brand	SS/DS	Chip No.	DIMM socket support (Optional)		
							A*	B*	C*
DDR2 800 1G	Kingston	KVR800D2N6/1G	N/A	Elpida	DS	E5108AJBG-8E-E	N/A	Pass	Pass
DDR2 800 2G	Kingston	KHX6400D2/2G	N/A	Kingston	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 4G	Kingston	KVR800D2N6/4G	N/A	Elpida	DS	E2108ABSE-8G-E	N/A	Pass	Pass
DDR2 800 1G	Samsung	M391T2863QZ3-CF7	6	Samsung	SS	K4T1G084QQ-HCF7(ECC)	N/A	Pass	Pass
DDR2 800 2G	Samsung	M37875663QZ3-CF7	6	Samsung	DS	K4T1G084QQ-HCF7	N/A	Pass	Pass
DDR2 800 1G	Micron	MT18HTF12872AY-80ED4	5	Micron	DS	6TD22D9GKX(ECC)	N/A	Pass	Pass
DDR2 800 512MB	Kingmax	KLDC28F-A8KI5	N/A	Kingmax	SS	KKA8FF1XF-JFS-25A	N/A	Pass	Pass
DDR2 800 1G	Transcend	505485-1034	5	Transcend	DS	TQ123PJF8F0801	N/A	Pass	Pass
DDR2 800 2G	PSC	AL7E8E63H-10E1K	5	PSC	DS	A3R1GE3CFF750RABBP(ECC)	N/A	Pass	Pass
DDR2 800 2G	GEIL	GE28GB800C4QC	4	GEIL	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 2G	GEIL	GX22GB6400CUSC	4	GEIL	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 2G	G.SKILL	F2-6400CL4D-4GBPK	4	G.SKILL	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 800 1G	OCZ	OCZ2VU8004GK	6	OCZ	DS	Heat-Sink Package	N/A	Pass	Pass

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration

Size	Vendor	Part No.	CL	Chip Brand	SS/DS	Chip No.	DIMM socket support (Optional)		
							A*	B*	C*
DDR2 1066 512MB	Kingston	KVR1066D2N7/512	N/A	Elpida	SS	E5108AJBG-1J-E	N/A	Pass	Pass
DDR2 1066 1G	Kingston	KHX8500D2/1G	N/A	Kingston	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 1G	Transcend	TX1066QLJ-2GK1GB	5	Transced	DS	Heat-Sink Package	N/A	Pass	Pass
DDR2 1066 1G	GEIL	GE22GB1066C5DC	5	GEIL	DS	Heat-Sink Package	N/A	Pass	Pass

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration