

## M3A79-T DELUXE Motherboard Qualified Vendors List (QVL)

### DDR2 1066 QVL for ASUS M3A79-T Deluxe Motherboard

Size	Vendor	Chip No.	CL	Chip Brand	SS/DS	Part No.	(Optional)		
							A*	B*	C*
DDR2 1066 1024MB	<b>A-DATA</b>	Heat-Sink Package	5	N/A	SS	ADQYE1A08	V	V	V
DDR2 1066 2048MB	<b>A-DATA</b>	Heat-Sink Package	5	N/A	DS	ADQYE1B16	V	V	V
DDR2 1066 4096MB(Kit of 2)	<b>Apacer</b>	Heat-Sink Package	5-5-5-15	N/A	DS	BoxP/N:CH.04GAF.F0K K2 (78.AAGAL.9KF)	V	V	V
DDR2 1066 1024MB	<b>CORSAIR</b>	Heat-Sink Package	N/A	N/A	DS	Box P/N:TWIN2X2048- 8500C5D (CM2X1024- 8500C5D)(EPP)	V	V	
DDR2 1066 4096MB(Kit of 2)	<b>CORSAIR</b>	Heat-Sink Package	5-5-5-15	N/A	DS	Box P/N:TWIN2X4096- 8500C5DF (CM2X2048- 8500C5D)(EPP)	V	V	V
DDR2 1066 1024MB	<b>Crucial</b>	Heat-Sink Package	N/A	N/A	DS	BL12864AA1065.16FD5 (EPP)	V	V	V
DDR2 1066 2048MB(Kit of 2)	<b>G.SKILL</b>	Heat-Sink Package	5-5-5-15	N/A	DS	F2-8500CL5D-2GBPK	V	V	V
DDR2 1066 4096MB(Kit of 2)	<b>G.SKILL</b>	Heat-Sink Package	5-5-5-15	N/A	DS	F2-8500CL5D-4GBPK			V
DDR2 1066 1024MB	<b>G.SKILL</b>	Heat-Sink Package	5-5-5-15	N/A	DS	F2-8500CL5S-1GBPK	V	V	V
DDR2 1066 1024MB	<b>GEIL</b>	GL2L128M88BA25AB	5-5-5-15	GEIL	SS	GB22GB8500C5DC	V	V	V
DDR2 1066 2048MB(Kit of 2)	<b>GEIL</b>	Heat-Sink Package	5-5-5-15	N/A	SS	GE22GB1066C5DC	V	V	V
DDR2 1066 4096MB(Kit of 4)	<b>GEIL</b>	Heat-Sink Package	5-5-5-15	N/A	SS	GE24GB1066C5QC	V	V	V
DDR2 1066 4096MB(Kit of 2)	<b>GEIL</b>	GL2L128M88BA25AB	5-5-5-15	GEIL	DS	GB24GB8500C5DC			V
DDR2 1066 4096MB(Kit of 4)	<b>GEIL</b>	GL2L128M88BA25AB	5-5-5-15	GEIL	DS	GB24GB8500C5QC	V		V
DDR2 1066 4096MB(Kit of 2)	<b>GEIL</b>	Heat-Sink Package	5-5-5-15	N/A	DS	GX24GB8500C5UDC	V	V	V
DDR2 1066 512MB	<b>Hynix</b>	HY5PS12821FFP-G7	7	HYNIX	SS	HYMP564U64FP8-G7	V	V	V
DDR2 1066 1024MB	<b>Hynix</b>	HY5PS12821FFP-G7	7	HYNIX	DS	HYMP 512U64FP8-G7	V	V	V

Note:

1. Due to AMD CPU limitation, DDR2 1066 is supported by AM2+ CPU for one DIMM per channel only.

For system stability, when 4 DIMMs are installed, all DIMMs run at DDR2-800 as the default setting.

2.The default memory operation frequency is dependent on its SPD. Under the default state, some memory modules for overclocking may operate at a lower

DDR2 1066 512MB	<b>KINGMAX</b>	KKA8FEIBF-HJK-18E	N/A	N/A	SS	KLEC28F-A8KI5-EGAS	V		V
DDR2 1066 1024MB	<b>KINGMAX</b>	KKA8FEIBF-HJK-18A	N/A	N/A	DS	KLED48F-A8KI5-EPA			V
DDR2 1066 2048MB	<b>KINGMAX</b>	KKB8FFBXF-CFP-18A	N/A	KINGMAX	DS	KLEE88F-B8KB5			V
DDR2 1066 512MB	<b>Kingston</b>	Heat-Sink Package	N/A	N/A	SS	KHX8500D2/ 512	V	V	V
DDR2 1066 1024MB(Kit of 2)	<b>Kingston</b>	Heat-Sink Package	N/A	N/A	SS	KHX8500D2K2/1G	V	V	V
DDR2 1066 512MB	<b>Kingston</b>	E5108AJBG -1J-E	N/A	N/A	SS	KVR1066D2N7/ 512	V	V	V
DDR2 1066 1024MB	<b>Kingston</b>	Heat-Sink Package	N/A	N/A	DS	KHX8500D2/1G	V	V	V
DDR2 1066 2048MB(Kit of 2)	<b>Kingston</b>	Heat-Sink Package	N/A	N/A	DS	KHX8500D2K2/2G	V	V	V
DDR2 1066 2048MB(Kit of 2)	<b>Kingston</b>	Heat-Sink Package	N/A	N/A	DS	KHX8500D2K2/2GN(EP P)	V	V	V
DDR2 1066 1024MB	<b>Kingston</b>	E5108AJBG -1J-E	N/A	N/A	DS	KVR1066D2N7/1G	V	V	V
DDR2 1066 1024MB	<b>MICRON</b>	D9JKH	7	MICRON	SS	MT8HTF12864AY- 1GAE1	V	V	V
DDR2 1066 2048MB	<b>MICRON</b>	D9JKH	7	MICRON	DS	MT16HTF25664AY- 1GAE1	V	V	V
DDR2 1066 2048MB(Kit of 2)	<b>OCZ</b>	Heat-Sink Package	N/A	N/A	DS	Box P/N:OCZ2N10662GK (OCZ2N10662GK)(EPP)	V	V	V
DDR2 1066 2048MB(Kit of 2)	<b>OCZ</b>	Heat-Sink Package	5	N/A	DS	OCZ2N1066SR2GK(EP P)	V	V	V
DDR2 1066 4096MB(Kit of 2)	<b>OCZ</b>	Heat-Sink Package	N/A	N/A	DS	OCZ2RPR10664GK	V	V	
DDR2 1066 512MB	<b>Qimonda</b>	HYB18T 512800CF19F	6	QIMONDA	SS	HYS64T64000EU-19F- C	V	V	V
DDR2 1066 1024MB	<b>Qimonda</b>	HYB18T 512800CF19	7	QIMONDA	DS	HYS64T128020EU-1.9- C	V	V	V
DDR2 1066 1024MB	<b>Qimonda</b>	HYB18T 512800CF19F	N/A	N/A	DS	HYS64T128020EU-19F- C	V	V	V
DDR2 1066 2048MB(Kit of 2)	<b>Transcend</b>	Heat-Sink Package	5	N/A	SS	TX1066QLU-2GK	V	V	V
DDR2 1066 512MB	<b>Aeneon</b>	Heat-Sink Package	555-12	N/A	SS	AXT660UD00-19DC97X	V	V	V
DDR2 1066 2048MB	<b>Aeneon</b>	Heat-Sink Package	6	N/A	DS	AXT860UD20-19E	V		V

DDR2 1066 1024MB	<b>Kingbox</b>	7YDI2	N/A	MICRON	DS	N/A	V		V
DDR2 1066 2048MB(Kit of 2)	<b>Team</b>	Heat-Sink Package	5-5-5-15	N/A	DS	BoxP/N:TXDD2048M10 66HC5DC (TXDD1024M1066HC5)	V	V	V
DDR2 1066 2048MB(Kit of 2)	<b>Team</b>	Heat-Sink Package	5-5-5-15	N/A	DS	BoxP/N:TXDD2048M10 66HC5DC-D (TXDD1024M1066HC5-D)	V		V

#### DDR2 800 QVL for ASUS M3A79-T Deluxe Motherboards

Size	Vendor	Chip No.	CL	Chip Brand	SS/DS	Part No.	DIMM socket support		
							A*	B*	C*
DDR2 800 2048MB	<b>A-DATA</b>	AD20908A8A-25EG	N/A	A-DATA	DS	M2OAD6H3J4171Q1E5 2			V
DDR2 800 1024MB	<b>Apacer</b>	AM4B5808CQJS8E	N/A	APACER	SS	78.01GA0.9K5	V	V	V
DDR2 800 4096MB(Kit of 2)	<b>CORSAIR</b>	Heat-Sink Package	N/A	N/A	DS	Box P/N:TWIN2X4096- 6400C5 (CM2X2048-6400C5)		V	V
DDR2 800 4096MB(Kit of 2)	<b>CORSAIR</b>	Heat-Sink Package	4-4-4-12	N/A	DS	BoxP/N:TWIN2X4096- 6400C4DHX (CM2X2048- 6400C4DHX)		V	V
DDR2 800 4096MB(Kit of 2)	<b>CORSAIR</b>	Heat-Sink Package	N/A	N/A	DS	BoxP/N:TWIN2X4096- 6400C5DHX (CM2X2048- 6400C5DHX)	V	V	
DDR2 800 1024MB	<b>CORSAIR</b>	Heat-Sink Package	4	N/A	DS	CM2X1024-6400C4			V
DDR2 800 1024MB	<b>Crucial</b>	Heat-Sink Package	4	N/A	DS	BL12864AA804.16FD3			V
DDR2 800 1024MB	<b>Crucial</b>	Heat-Sink Package	4	N/A	DS	BL12864AA804.16FD			V
DDR2 800 1024MB(Kit of 2)	<b>G.SKILL</b>	Heat-Sink Package	5-5-5-15	N/A	SS	F2-6400CL5D-1GBNQ	V	V	V
DDR2 800 1024MB	<b>G.SKILL</b>	Heat-Sink Package	N/A	N/A	DS	F2-6400CL4D-2GBHK	V	V	V
DDR2 800 1024MB	<b>G.SKILL</b>	Heat-Sink Package	N/A	N/A	DS	F2-6400CL4D-2GBPK	V		V

DDR2 800 4096MB(Kit of 2)	<b>G.SKILL</b>	Heat-Sink Package	4	N/A	DS	F2-6400CL4D-4GBPK	V	V	V
DDR2 800 4096MB(Kit of 2)	<b>G.SKILL</b>	Heat-Sink Package	5	N/A	DS	F2-6400CL5D-4GBPQ	V	V	V
DDR2 800 4096MB(Kit of 2)	<b>G.SKILL</b>	Heat-Sink Package	6	N/A	DS	F2-6400CL6D-4GBMQ	V	V	V
DDR2 800 8192MB(Kit of 2)	<b>G.SKILL</b>	Heat-Sink Package	6-6-6-18	N/A	DS	F2-6400CL6D-8GBNQ	V	V	V
DDR2 800 1024MB	<b>G.SKILL</b>	Heat-Sink Package	N/A	N/A	DS	F2-6400PHU2-2GBNR	V	V	V
DDR2 800 2048MB(Kit of 2)	<b>GEIL</b>	GL2L64M088BA30EB	N/A	N/A	DS	GB22GB6400C4DC	V	V	V
DDR2 800 2048MB(Kit of 2)	<b>GEIL</b>	GL2L64M088BA30EB	5-5-5-15	GEIL	DS	GB22GB6400C5DC	V		V
DDR2 800 4096MB(Kit of 2)	<b>GEIL</b>	GL2L128M88BA25AB	4-4-4-12	GEIL	DS	GB24GB6400C4DC	V	V	V
DDR2 800 4096MB(Kit of 4)	<b>GEIL</b>	GL2L64M088BA30EB	N/A	N/A	DS	GB24GB6400C4QC	V	V	V
DDR2 800 4096MB(Kit of 2)	<b>GEIL</b>	GL2L128M88BA25AB	5-5-5-15	GEIL	DS	GB24GB6400C5DC			V
DDR2 800 4096MB(Kit of 2)	<b>GEIL</b>	GL2L64M088BA30EB	N/A	N/A	DS	GB24GB6400C5QC	V		V
DDR2 800 8192MB(Kit of 4)	<b>GEIL</b>	GL2L128M88BA25AB	N/A	N/A	DS	GB28GB6400C4QC	V	V	V
DDR2 800 8192MB(Kit of 4)	<b>GEIL</b>	GL2L128M88BA25AB	N/A	N/A	DS	GB28GB6400C5QC			V
DDR2 800 2048MB(Kit of 2)	<b>GEIL</b>	Heat-Sink Package	4-4-4-12	N/A	DS	GE22GB800C4DC	V	V	V
DDR2 800 2048MB(Kit of 2)	<b>GEIL</b>	Heat-Sink Package	5-5-5-15	N/A	DS	GE22GB800C5DC	V	V	
DDR2 800 2048MB	<b>GEIL</b>	Heat-Sink Package	4-4-4-12	N/A	DS	GE24GB800C4DC	V	V	
DDR2 800 4096MB(Kit of 4)	<b>GEIL</b>	Heat-Sink Package	N/A	N/A	DS	GE24GB800C4QC	V	V	V
DDR2 800 4096MB(Kit of 4)	<b>GEIL</b>	Heat-Sink Package	5-5-5-15	N/A	DS	GE24GB800C5QC	V	V	
DDR2 800 2048MB	<b>GEIL</b>	Heat-Sink Package	4-4-4-12	N/A	DS	GE28GB800C4QC	V	V	
DDR2 800 1024MB	<b>Hynix</b>	HY5PS12821CFP-S5	5-5-5	Hynix	DS	HYMP 512U64CP8-S5	V	V	V
DDR2 800 1024MB	<b>KINGMAX</b>	KKA8FEIBF-HJK-25A	N/A	KINGMAX	DS	KLDD48F-ABKI5	V		V
DDR2 800 2048MB	<b>KINGMAX</b>	KKB8FFBXF-CFA-25A	N/A	KINGMAX	DS	KLDE88F-B8KB5	V	V	V
DDR2 800 512MB	<b>KINGSTO</b>	Heat-Sink Package	N/A	N/A	SS	KHX6400D2/ 512		V	V
DDR2 800 1024MB(Kit of 2)	<b>KINGSTO N</b>	Heat-Sink Package	4-4-4-12	N/A	SS	KHX6400D2LLK2/1GN( EPP)			V
DDR2 800 1024MB(Kit of 2)	<b>KINGSTO</b>	Heat-Sink Package	N/A	N/A	SS	KHX6400D2ULK2/1G	V	V	
DDR2 800 512MB	<b>KINGSTO</b>	E5108AJBG-8E-E	N/A	ELPIDA	SS	KVR800D2N5/ 512	V	V	V
DDR2 800 512MB	<b>KINGSTO</b>	E5108AJBG-8E-E	1.8	ELPIDA	SS	KVR800D2N6/ 512	V	V	V
DDR2 800 2048MB	<b>KINGSTO</b>	Heat-Sink Package	N/A	N/A	DS	KHX6400D2/2G	V	V	V
DDR2 800 1024MB	<b>KINGSTO</b>	E5108AJBG-8E-E	N/A	ELPIDA	DS	KVR800D2N5/1G	V	V	
DDR2 800 1024MB	<b>KINGSTO</b>	V59C1 512804QBF25	N/A	N/A	DS	KVR800D2N5/1G	V	V	V
DDR2 800 2048MB	<b>KINGSTO</b>	E1108ACBG-8E-E	N/A	ELPIDA	DS	KVR800D2N5/2G	V	V	
DDR2 800 1024MB	<b>KINGSTO</b>	E5108AJBG-8E-E	1.8	ELPIDA	DS	KVR800D2N6/1G	V	V	
DDR2 800 4096MB	<b>KINGSTO</b>	E2108ABSE-8G-E	N/A	ELPIDA	DS	KVR800D2N6/4G	V	V	V

DDR2 800 512MB	<b>NANYA</b>	NT5TU64M8BE-25C	5	NANYA	SS	NT 512T64U880BY-25C	V	V	V
DDR2 800 1024MB	<b>NANYA</b>	NT5TU64M8BE-25C	5	NANYA	DS	NT1GT64U8HB0BY-25C		V	V
DDR2 800 1024MB	<b>NANYA</b>	NT5TU64M8CE-25D	N/A	NANYA	DS	NT1GT64U8HCOBY-25D	V	V	V
DDR2 800 2048MB	<b>NANYA</b>	NT5TU128M8CE-AC	5	NANYA	DS	NT2GT64U8HC0BY-AC	V	V	V
DDR2 800 1024MB	<b>OCZ</b>	Heat-Sink Package	N/A	N/A	DS	OCZ2FX800C32GK	V	V	
DDR2 800 1024MB	<b>OCZ</b>	Heat-Sink Package	5	N/A	DS	OCZ2G8001G	V	V	V
DDR2 800 4096MB(Kit of 2)	<b>OCZ</b>	Heat-Sink Package	5-4-4	N/A	DS	OCZ2P8004GK	V	V	V
DDR2 800 1024MB	<b>OCZ</b>	Heat-Sink Package	N/A	N/A	DS	OCZ2T8002GK	V	V	V
DDR2 800 2048MB	<b>Qimonda</b>	HYB18T1G800C2F-2.5	6	QIMONDA	DS	HYS64T256020EU-2.5-C2	V	V	V
DDR2 800 512MB	<b>SAMSUNG</b>	K4T51083QG	6	SAMSUNG	SS	M378T6553GZS-CF7		V	V
DDR2 800 1024MB	<b>SAMSUNG</b>	K4T1G084QQ(ECC)	6	SAMSUNG	SS	M391T2863QZ3-CF7	V	V	V
DDR2 800 1024MB	<b>SAMSUNG</b>	K4T51083QG	6	SAMSUNG	DS	M378T2953GZ3-CF7	V	V	
DDR2 800 4096MB	<b>SAMSUNG</b>	K4T2G084QA-HCF7	6	SAMSUNG	DS	M378T5263AZ3-CF7	V	V	
DDR2 800 2048MB	<b>SAMSUNG</b>	K4T1G084QQ(ECC)	6	SAMSUNG	DS	M378T5663QZ3-CF7			V
DDR2 800 1024MB	<b>Transcend</b>	TQ243ECF8	5	Transcen	SS	JM800QLU-1G			V
DDR2 800 1024MB	<b>Aeneon</b>	AET93R25DB	N/A	Aeneon	DS	AET760UD00-25DB97X			V

#### DDR2 667 QVL for ASUS M3A79-T Deluxe Motherboards

Size	Vendor	Chip No.	CL	Chip Brand	SS/DS	Part No.	DIMM socket support		
							A*	B*	C*
DDR2 667 1024MB	<b>Apacer</b>	AM4B5808CQJS7E	N/A	APACER	SS	78.01G9O.9K5	V	V	V
DDR2 667 512MB	<b>Apacer</b>	AM4B5708JQJS7E	N/A	APACER	SS	78.91G92.9K5		V	V
DDR2 667 2048MB	<b>Apacer</b>	AM4B5808CQJS7E	N/A	APACER	DS	78.A1G9O.9K4	V	V	V
DDR2 667 512MB	<b>CORSAIR</b>	64M8CFEG	N/A	N/A	SS	VS 512MB667D2			V
DDR2 667 1024MB	<b>CORSAIR</b>	64M8CFEG	N/A	N/A	DS	VS1GB667D2	V	V	V
DDR2 667 512MB	<b>crucial</b>	Heat-Sink Package	3	N/A	SS	BL6464AA663.8FD		V	V
DDR2 667 1024MB	<b>crucial</b>	Heat-Sink Package	3	N/A	DS	BL12864AA663.16FD	V		V

DDR2 667 1024MB	<b>crucial</b>	Heat-Sink Package	3	N/A	DS	BL12864AL664.16FD	V	V	
DDR2 667 512MB	<b>ELPIDA</b>	E5108AE-6E-E	5	ELPIDA	SS	EBE51UD8AEFA-6E-E	V	V	V
DDR2 667 4096MB	<b>SAMSUNG</b>	K4T2G084QA-HCE6	5	SAMSUNG	DS	M378T5263AZ3-CE6	V	V	V

**Note :**

A\* : Supports one module inserted in any slot as Single-channel memory configuration

B\* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C\* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration