

AM2 CPU DDR2 667 QVL for ASUS M3N72-T Deluxe Series Motherboard					DIMM socket support		
Testing Items Vendors	SS/DS	Chip No.	Size	Part No.	A*	B*	C*
KINGSTON	SS	D6408TEBGGL3U	DDR2 667 512MB	KVR667D2N5/512	√	√	√
KINGSTON	SS	HYB18T256800AF3S	DDR2 667 256MB	KVR667D2N5/256	√	√	
KINGSTON	SS	6SBI2D9DCG	DDR2 667 256MB	KVR667D2N5/256	√	√	
KINGSTON	DS	E5108AGBG-6E-E	DDR2 667 1024MB	KVR667D2N5/1G	√	√	√
KINGSTON	DS	E1108AB-6E-E	DDR2 667 2048MB	KVR667D2N5/2G	√	√	
Qimonda	SS	HYB18T512800BF3S(ECC)	DDR2 667 512MB	HYS72T64000HU-3S-B	√	√	√
Qimonda	DS	HYB18T512800BF3S(ECC)	DDR2 667 1024MB	HYS72T128020HU-3S-B	√	√	√
Qimonda	SS	HYB18T512800BF3S	DDR2 667 512MB	HYS64T64000HU-3S-B	√	√	√
Qimonda	DS	HYB18T512800BF3S	DDR2 667 1024MB	HYS64T128020HU-3S-B	√	√	
SAMSUNG	DS	K4T51163QE-ZCE6	DDR2 667 512MB	M378T3354EZ3-CE6	√	√	√
SAMSUNG	SS	K4T51083QE	DDR2 667 256MB	M378T6553EZS-CE6	√		√
SAMSUNG	DS	K4T51083QE	DDR2 667 1024MB	M378T2953EZ3-CE6	√	√	√
Hynix	SS	HY5PS121621CFP-Y5	DDR2 667 256MB	HYMP532U64CP6-Y5	√	√	√
Hynix	DS	HY5PS12821CFP-Y5	DDR2 667 1024MB	HYMP512U64CP8-Y5			√
CORSAIR	SS	MIII00605	DDR2 667 256MB	VS256MB667D2			√
CORSAIR	SS	64M8CFEG	DDR2 667 512MB	VS512MB667D2	√	√	
CORSAIR	DS	64M8CFEG	DDR2 667 1024MB	VS1GB667D2	√	√	√
ELPIDA	SS	E2508AB-6E-E	DDR2 667 256MB	EBE25UC8ABFA-6E-E	√	√	√
A-DATA	SS	AD29608A8A-3EG	DDR2 667 512MB	M2OAD5G3H3166I1C52	√	√	√
A-DATA	DS	AD29608A8A-3EG	DDR2 667 1024MB	M2OAD5G3I4176I1C52	√	√	
A-DATA	DS	NT5TU128M8BJ-3C	DDR2 667 2048MB	M2ONY5H3J4170I1C5Z	√		√
crucial	SS	Heat-Sink Package	DDR2 667 512MB	BL6464AA663.8FD		√	√
crucial	DS	Heat-Sink Package	DDR2 667 1024MB	BL12864AA663.16FD	√	√	√
crucial	DS	Heat-Sink Package	DDR2 667 1024MB	BL12864AL664.16FD	√	√	√
crucial	DS	Heat-Sink Package	DDR2 667 1024MB	BL12864AA663.16FD2	√	√	√
Apacer	SS	AM4B5708GQJS7E0628F	DDR2 667 512MB	AU512E667C5KBGC	√		√
Kingmax	SS	N2TU51216AG-3C	DDR2 667 256MB	KLCB68F-36KH5	√	√	
Kingmax	SS	KKEA88B4LAUG-29DX	DDR2 667 512MB	KLCC28F-A8KB5	√	√	√
Kingmax	DS	KKEA88B4LAUG-29DX	DDR2 667 1024MB	KLCD48F-A8KB5	√		√
Super Talent	SS	Heat-Sink Package	DDR2 667 512MB	T6UA512C5	√	√	√
Super Talent	DS	Heat-Sink Package	DDR2 667 1024MB	T6UB1GC5	√	√	√
NANYA	DS	NT5TU128M8BJ-3C	DDR2 667 2048MB	NT2GT64U8HB0JY-3C	√	√	
NANYA	SS	NT5TU64M8BE-3C	DDR2 667 512MB	NT512T64U88B0BY-3C	√	√	√
PSC	SS	A3R12E3GEF637BLC5N	DDR2 667 512MB	AL6E8E63B-6E1K	√	√	√
PSC	DS	A3R12E3GEF637BLC5N	DDR2 667 1024MB	AL7E8E63B-6E1K	√	√	√
TwinMOS	SS	E5108AE-GE-E	DDR2 667 512MB	8G-25JK5-EBT	√		√
TwinMOS	SS	TMM6208G8M30C	DDR2 667 512MB	8D-23JK5M2ETP	√	√	√

Note :

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the yellow and black slots as two pairs of Dual-channel memory configuration