

AM2+ CPU DDR2 667 QVL for ASUS M3N72-T Deluxe Series Motherboard							DIMM socket support (Optional)		
Vendor	Part No.	Size	SS/DS	Chip No.	CL	Chip Brand	A*	B*	C*
A-DATA	M2OAD5G3H3166I1C	DDR2 667 512MB	SS	AD29608A8A-3EG	5	A-DATA	V	V	V
A-DATA	M2OAD5G3I4176I1C5	DDR2 667 1024MB	DS	AD29608A8A-3EG	5	A-DATA	V	V	V
A-DATA	M2ONY5H3J4170I1C	DDR2 667 2048MB	DS	NT5TU128M8BJ-	N/A	N/A	V	V	V
Apacer	78.91G92.9K5	DDR2 667 512MB	SS	AM4B5708JQJS7E	N/A	APACER	V	V	V
Apacer	78.01G90.9K5	DDR2 667 1024MB	SS	AM4B5808CQJS7E	N/A	APACER	V	V	V
Apacer	78.A1G90.9K4	DDR2 667 2048MB	DS	AM4B5808CQJS7E	N/A	APACER	V	V	V
CORSAIR	VS512MB667D2	DDR2 667 512MB	SS	64M8CFEG	N/A	N/A	V	V	V
CORSAIR	VS1GB667D2	DDR2 667 1024MB	DS	64M8CFEG	N/A	N/A	V	V	V
crucial	BL6464AA663.8FD	DDR2 667 512MB	SS	Heat-Sink Package	3	N/A		V	V
crucial	BL12864AA663.16FD	DDR2 667 1024MB	DS	Heat-Sink Package	3	N/A	V	V	V
crucial	BL12864AL664.16FD	DDR2 667 1024MB	DS	Heat-Sink Package	3	N/A	V	V	V
crucial	BL12864AA663.16FD	DDR2 667 1024MB	DS	Heat-Sink Package	3	N/A	V	V	V
ELPIDA	EBE51UD8AEFA-6E-	DDR2 667 512MB	SS	E5108AE-6E-E	5	ELPIDA	V	V	V
Hynix	HYMP512U64CP8-Y5	DDR2 667 1024MB	DS	HY5PS12821CFP-	5	Hynix	V	V	V
Kingmax	KLCC28F-A8KB5	DDR2 667 512MB	SS	KKEA88B4LAUG-	5	KINGMAX	V	V	V
Kingmax	KLCD48F-A8KB5	DDR2 667 1024MB	DS	KKEA88B4LAUG-	5	KINGMAX	V	V	V
KINGSTON	KVR667D2N5/512	DDR2 667 512MB	SS	D6408TEBGG3U	5	KINGSTON	V	V	V
KINGSTON	KVR667D2N5/1G	DDR2 667 1024MB	DS	E5108AGBG-6E-E	N/A	KINGSTON	V	V	V
KINGSTON	KVR667D2N5/2G	DDR2 667 2048MB	DS	E1108AB-6E-E	N/A	ELPIDA	V	V	V
KINGSTON	KVR667D2N5/2G	DDR2 667 2048MB	DS	HY5PS1G831CFP-	N/A	Hynix	V	V	V
NANYA	NT512T64U88B0BY-	DDR2 667 512MB	SS	NT5TU64M8BE-3C	5	NANYA	V	V	V
NANYA	NT2GT64U8HB0JY-	DDR2 667 2048MB	DS	NT5TU128M8BJ-	5	NANYA	V	V	V
PSC	AL7E8E63J-6E1	DDR2 667 1024MB	DS	A3R12E3JFF719A9	5	PSC	V	V	V
Qimonda	HYS64T256020EU-	DDR2 667 2048MB	DS	HYB18T1GB00C2F	5	QIMONDA	V	V	V
SAMSUNG	M378T6553EZS-CE6	DDR2 667 512MB	SS	K4T51083QE	5	SAMSUNG	V	V	V
SAMSUNG	M378T2953EZ3-CE6	DDR2 667 1024MB	DS	K4T51083QE	5	SAMSUNG			
SAMSUNG	M378T5263AZ3-CE6	DDR2 667 4096MB	DS	K4T2G084QA-	5	SAMSUNG	V	V	V
Super	T6UA512C5	DDR2 667 512MB	SS	Heat-Sink Package	5	N/A	V	V	V
Super	T6UB1GC5	DDR2 667 1024MB	DS	Heat-Sink Package	5	N/A	V	V	V
TwinMOS	8G-25JK5-EBT	DDR2 667 512MB	SS	E5108AE-GE-E	5	TwinMOS	V	V	V
TwinMOS	8D-23JK5M2ETP	DDR2 667 512MB	SS	TMM6208G8M30C	5	TwinMOS	V	V	V
Aeneon	AET660UD00-	DDR2 667 512MB	SS	AET93R300B	5	AENEON	V	V	V
Aeneon	AET760UD00-30B97X	DDR2 667 1024MB	DS	AET93R30DB	5	AENEON	V	V	V
Aeneon	AET860UD00-	DDR2 667 2048MB	DS	AET03F30DB	5	AENEON		V	V
Aeneon	AET860UD00-30D	DDR2 667 2048MB	DS	AET02R30DC	5	AENEON	V	V	V
Asint	SLX264M8-J6E	DDR2 667 512MB	SS	DDRII6408-6E	N/A	Asint	V	V	V
CENTURY	26V2H8	DDR2 667 512MB	SS	HY5PS12821CFP-	5	Hynix	V	V	V
CENTURY	26VOH8	DDR2 667 1024MB	DS	HY5PS12821CFP-	5	Hynix	V	V	V
Kingbox	N/A	DDR2 667 1024MB	DS	EPD264082200E-4	N/A	Kingbox	V	V	V
Kingbox	N/A	DDR2 667 2048MB	DS	D9HNL	N/A	MICRON	V	V	V
MDT	M512-667-8	DDR2 667 512MB	SS	18D51280D-30648	4	MDT	V	V	V
MDT	M924-667-16	DDR2 667 1024MB	DS	18D51280D-	4	MDT	V	V	V
MDT	M924-667-16A	DDR2 667 1024MB	DS	1851200D-30646D	4	MDT	V	V	V

Note :
A* : Supports one module inserted in any slot as Single-channel memory configuration
B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration
C* : Supports 4 modules inserted into both the yellow and black slots as two pairs of Dual-channel memory configuration