

Qualified Vendors List (QVL) Standard table for user manual

| Vendor | Part No. | Size | SS/DS | CL | Chip No. | Chip Brand | DIMM socket support (Optional) | |
|---------|-----------------|------------------------|-------|----------|------------------------|------------|--------------------------------|------|
| | | | | | | | A* | B* |
| Corsair | CM2X1024-8500C5 | DDR2 1066 1G | DS | N/A | Heat-Sink Package | N/A | Pass | Pass |
| OCZ | OCZ2N1066SR2DK | DDR2 1066 2G(kit of 2) | DS | 5-5-5-15 | Heat-Sink Package(EPP) | OCZ | Pass | Pass |
| | | | | | SN:00482080600160-1 | | | |
| GEIL | GB24GB8500C5QC | DDR2 1066 1G | SS | 5 | GL2L128M88BA25AB | GEIL | Pass | Pass |

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration

Qualified Vendors List (QVL) Standard table for user manual

Project Name:

BIOS:

| Vendor | Part No. | Size | SS/DS | CL | Chip No. | Chip Brand | DIMM socket support (Optional) | |
|----------|----------------------|----------------------------|-------|-----|---------------------------|------------|--------------------------------|------|
| | | | | | | | A* | B* |
| Kingston | KHX6400D2LLK2/1GN | DDR2 800 512MB | SS | N/A | Heat-Sink Package | Kingston | Pass | Pass |
| Kingston | KVR800D2N5/1G | DDR2 800 1G | DS | N/A | E5108AJBG-8E-E | Elpida | Pass | Pass |
| Samsung | M378T2863QZS-CF7 | DDR2 800 1G | SS | 6 | K4T1G084QQ-HCF7 | Samsung | Pass | Pass |
| Samsung | M391T2863QZ3-CF7 | DDR2 800 1G | SS | 6 | K4T1G084QQ-HCF7(ECC) | Samsung | Pass | Pass |
| Samsung | M378T5263AZ3-CF7 | DDR2 800 4G | DS | N/A | K4T2G084QA-HCF7 | Samsung | Pass | Pass |
| Qimonda | HYS64T64000EU-2.5-B2 | DDR2 800 512MB | SS | 6 | HYB18T512800B2F25FSS28380 | Qimonda | Pass | Pass |
| Corsair | CM2X2048-6400C5DHX | DDR2 800 2G(Kit of 2) | DS | 5 | Heat-Sink Package | Corsair | Pass | Pass |
| Crucial | BL12864AA804.8FE5 | DDR2 800 2G(Kit of 2)(EPP) | SS | N/A | Heat-Sink Package | N/A | Pass | Pass |
| HY | HYMP564U64CP8-S5 AB | DDR2 800 512MB | SS | 5 | HY5PS12821CFP-S5 | Hynix | Pass | Pass |
| Kingmax | KLDC28F-A8KI5 | DDR2 800 512MB | SS | N/A | KKA8FF1XF-JFS-25A | Kingmax | Pass | Pass |
| Apacer | 78.91G91.9K5 | DDR2 800 512MB | SS | 5 | AM4B5708JQJS8E0751C | Apacer | Pass | Pass |
| Apacer | 78.A1GA0.9K4 | DDR2 800 2G | DS | 5 | AM4B5808CQJS8E0747D | Apacer | Pass | Pass |
| VDATA | M2GVD6G3H3160Q1E52 | DDR2 800 512MB | SS | N/A | VD29608A8A-25EG20813 | VDATA | Pass | Pass |
| ADATA | M2OAD6G314170Q1E58 | DDR2 800 1G | DS | N/A | AD29608A8A-25EG80810 | ADATA | Pass | Pass |
| PSC | AL7E8E63H-10E1K | DDR2 800 2G | DS | 5 | A3R1GE3CFF750RABBP(ECC) | PSC | Pass | Pass |
| GEIL | GX22GB6400LX | DDR2 800 2G | DS | 5 | Heat-Sink Package | GEIL | Pass | Pass |
| G.SKILL | F2-6400CL4D-2GBHK | DDR2 800 1G | DS | 4 | Heat-Sink Package | G.SKILL | Pass | Pass |
| G.SKILL | F2-6400CL4D-4GBPK | DDR2 800 2G | DS | 4 | Heat-Sink Package | G.SKILL | Pass | Pass |
| OCZ | OCZ2VU8004GK | DDR2 800 1G | DS | 6 | Heat-Sink Package | OCZ | Pass | Pass |
| Century | 28V0H8 | DDR2 800 1G | DS | 5 | HY5PS12821CFP-S5 | Hynix | Pass | Pass |

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration

Qualified Vendors List (QVL) Standard table for user manual

Project Name:

BIOS:

| Vendor | Part No. | Size | SS/DS | CL | Chip No. | Chip Brand | DIMM socket support (Optional) | |
|-----------|---------------------|-----------------------|-------|----------|---|------------|--------------------------------|------|
| | | | | | | | A* | B* |
| Kingston | KVR667D2N5/512 | DDR2 667 512MB | SS | N/A | SO1237650821 SBP D6408TR4CGL25USL074905PECNB | Kingston | Pass | Pass |
| Qimonda | HYS64T64000EU-3S-B2 | DDR2 667 512MB | SS | 5 | HYB18T512B00B2F3SFSS28171 | Qimonda | Pass | Pass |
| Micron | MT8HTF12864AY-667E1 | DDR2 667 1G | SS | 5 | D9HNL 7ZE17 | Micron | Pass | Pass |
| HY | HYMP512U64CP8-Y5 AB | DDR2 667 1G | DS | 5 | HY5PS12521CFP-Y5 | Hynix | Pass | Pass |
| Apacer | AU512E667C5KBGC | DDR2 667 512MB | SS | 5 | AM4B5708GQJS7E06332F | Apacer | Pass | Pass |
| Transcend | 506010-4894 | DDR2 667 1G | DS | 5 | E5108AJBG-6E-E | Elpida | Pass | Pass |
| ADATA | M2OAD5G3H3160Q1C52 | DDR2 667 512MB | SS | N/A | AD29608A8A-3EG20813 | ADATA | Pass | Pass |
| ADATA | M2OAD5G314170Q1C58 | DDR2 667 1G | DS | N/A | AD29608A8A-3EG80814 | ADATA | Pass | Pass |
| ADATA | M2OAD5H3J4170I1C53 | DDR2 667 2G | DS | N/A | AD20908A8A-3EG 30724 | ADATA | Pass | Pass |
| PSC | AL6E8E63J-6E1 | DDR2 667 512MB | SS | 5 | A3R12E3JFF717B9A00 | PSC | Pass | Pass |
| PSC | AL7E8E63J-6E1 | DDR2 667 1G | DS | 5 | A3R12E3JFF717B9A01 | PSC | Pass | Pass |
| GEIL | GX21GB5300SX | DDR2 667 1G | DS | 3 | Heat-Sink Package | GEIL | Pass | Pass |
| G.SKILL | F2-5400PHU2-2GBNT | DDR2 667 2G(kit of 2) | DS | 5-5-5-15 | D2 64M8CCF 0815 C7173S | G.SKILL | Pass | Pass |
| Twinmos | 8D-A3JK5MPETP | DDR2 667 512MB | SS | 5 | A3R12E3GEF633ACAOY | PSC | Pass | Pass |
| ELIXIR | M2Y1G64TU8HA2B-3C | DDR2 667 1G | DS | 5 | M2TU51280AE-3C717095R28F | ELIXIR | Pass | Pass |
| Leadmax | LRMP512U64A8-Y5 | DDR2 667 1G | DS | N/A | HY5PS12821CFP-Y5 C 702AA | Hynix | Pass | Pass |

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration

Qualified Vendors List (QVL) Standard table for user manual

| Vendor | Part No. | Size | SS/DS | CL | Chip No. | Chip Brand | DIMM socket support | |
|----------|---------------------|----------------|-------|-----|--------------------|------------|---------------------|------|
| | | | | | | | A* | B* |
| Kingston | KVR533D2N4/1G | DDR2 533 1G | DS | N/A | HY5PS12821EFP-Y5 | Hynix | Pass | Pass |
| HY | HYMP512U64CP8-C4 AB | DDR2 533 1G | DS | 4 | HY5PS12821CFP-C4 | Hynix | Pass | Pass |
| Corsair | VS1GB533D2 | DDR2 533 1G | DS | N/A | 64M8CFEGQIB0900718 | Corsair | Pass | Pass |
| Elpida | EBE51UD8ABFA-5C-E | DDR2 533 512MB | SS | N/A | E5108AB-5C-E | Elpida | Pass | Pass |

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration