

Qualified Vendors List (QVL) Standard table for user manual

Project Name : M3N WS 1.02G BIOS : 0304

Vendor	Part No.	Size	SS/DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
A-DATA	ADQYE1A08	DDR2 1066 1024MB	SS	Heat-Sink Package	5	N/A			V
A-DATA	ADQYE1B16	DDR2 1066 2048MB	DS	Heat-Sink Package	5	N/A	V		V
Apacer	Box P/N:CH.02GAF.C0KK2 (78.0AG9S.9KF)	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	V		V
Apacer	BoxP/N:CH.04GAF.F0KK2 (78.AAGAL.9KF)	DDR2 1066 4096MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A			
CORSAIR	Box P/N:TWIN2X2048-8500C5D (CM2X1024-8500C5D)(EPP)	DDR2 1066 1024MB	DS	Heat-Sink Package	N/A	N/A			
CORSAIR	Box P/N:TWIN2X4096-8500C5DF (CM2X2048-8500C5D)(EPP)	DDR2 1066 4096MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	V		
Crucial	BL12864AA1065.16FD5(EPP)	DDR2 1066 1024MB	DS	Heat-Sink Package	N/A	N/A	V	V	V
G.SKILL	F2-8500CL5D-2GBPK	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
G.SKILL	F2-8500CL5D-4GBPK	DDR2 1066 4096MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	
G.SKILL	F2-8500CL5S-1GBPK	DDR2 1066 1024MB	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
GEIL	GB22GB8500C5DC	DDR2 1066 1024MB	SS	GL2L128M88BA25AB	5-5-5-15	GEIL	V	V	V
GEIL	GE22GB1066C5DC	DDR2 1066 2048MB(Kit of 2)	SS	Heat-Sink Package	5-5-5-15	N/A	V		
GEIL	GE24GB1066C5QC	DDR2 1066 4096MB(Kit of 4)	SS	Heat-Sink Package	5-5-5-15	N/A	V		V
GEIL	GB24GB8500C5DC	DDR2 1066 4096MB(Kit of 2)	DS	GL2L128M88BA25AB	5-5-5-15	GEIL	V		V
GEIL	GB24GB8500C5QC	DDR2 1066 4096MB(Kit of 4)	DS	GL2L128M88BA25AB	5-5-5-15	GEIL	V		V
GEIL	GE24GB1066C5DC	DDR2 1066 4096MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A	V		
GEIL	GX24GB8500C5UDC	DDR2 1066 4096MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
Hynix	HYMP564U64FP8-G7	DDR2 1066 512MB	SS	HY5PS12821FFP-G7	7	HYNIX			V
Hynix	HYMP 512U64FP8-G7	DDR2 1066 1024MB	DS	HY5PS12821FFP-G7	7	HYNIX	V	V	V
KINGMAX	KLEC28F-A8KI5-EGAS	DDR2 1066 512MB	SS	KKA8FEIBF-HJK-18E	N/A	N/A			
KINGMAX	KLED48F-A8KI5-EPA	DDR2 1066 1024MB	DS	KKA8FEIBF-HJK-18A	N/A	N/A			
KINGMAX	KLEE88F-B8KB5	DDR2 1066 2048MB	DS	KKB8FFBXF-CFP-18A	N/A	KINGMAX	V		
Kingston	KHX8500D2/ 512	DDR2 1066 512MB	SS	Heat-Sink Package	N/A	N/A	V	V	V
Kingston	KHX8500D2K2/1G	DDR2 1066 1024MB(Kit of 2)	SS	Heat-Sink Package	N/A	N/A	V	V	V
Kingston	KHX8500D2K2/1GN(EPP)	DDR2 1066 1024MB(Kit of 2)	SS	Heat-Sink Package	N/A	N/A			
Kingston	KVR1066D2N7/ 512	DDR2 1066 512MB	SS	E5108AJBG -1J-E	N/A	N/A	V	V	
Kingston	KHX8500D2/1G	DDR2 1066 1024MB	DS	Heat-Sink Package	N/A	N/A	V	V	V
Kingston	KHX8500D2K2/2G	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A	V	V	V
Kingston	KHX8500D2K2/2GN(EPP)	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A	V		

Kingston	KVR1066D2N7/1G	DDR2 1066 1024MB	DS	E5108AJBG -1J-E	N/A	N/A	V	V	
MICRON	MT8HTF12864AY-1GAE1	DDR2 1066 1024MB	SS	D9JKH	7	MICRON	V	V	V
MICRON	MT16HTF25664AY-1GAE1	DDR2 1066 2048MB	DS	D9JKH	7	MICRON	V	V	
OCZ	Box P/N:OCZ2N10662GK (OCZ2N10662GK)(EPP)	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A	V		
OCZ	OCZ2N1066SR2GK(EPP)	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	5	N/A	V		
OCZ	OCZ2RPR10664GK	DDR2 1066 4096MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A	V		
Qimonda	HYS64T64000EU-19F-C	DDR2 1066 512MB	SS	HYB18T 512800CF19F	6	QIMONDA	V	V	V
Qimonda	HYS64T128020EU-1.9-C	DDR2 1066 1024MB	DS	HYB18T 512800CF19	7	QIMONDA	V		
Qimonda	HYS64T128020EU-19F-C	DDR2 1066 1024MB	DS	HYB18T 512800CF19F	N/A	N/A	V		
SAMSUNG	M378T2953GZ3-CF8	DDR2 1066 2048MB	DS	K4T51083QG	7	SAMSUNG	V		
Transcend	TX1066QLU-2GK	DDR2 1066 2048MB(Kit of 2)	SS	Heat-Sink Package	5	N/A	V	V	V
Aeneon	AXT660UD00-19DC97X	DDR2 1066 512MB	SS	Heat-Sink Package	555-12	N/A			
Aeneon	AXT860UD20-19E	DDR2 1066 2048MB	DS	Heat-Sink Package	6	N/A			V
Aeneon	Box P/N:AXT760UD00-19D-K-2G (AXT760UD00-19D)	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	5	N/A	V		
Elixir	M2Y1G64TU8HC4B-BD	DDR2 1066 1024MB	DS	N2TU 51280CE-BD	6	ELIXIR	V		
Kingbox	N/A	DDR2 1066 1024MB	DS	7YDI2	N/A	MICRON	V	V	V
Mushkin	996535	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A			V
Mushkin	996612	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A			
Mushkin	996619	DDR2 1066 4096MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	
PQI	MEAHR421LA0101-08B1	DDR2 1066 1024MB	DS	PQE2648D19R	N/A	PQI			V
PQI	MEAHR422LA0102-07D3	DDR2 1066 1024MB	DS	PQE2648S19R	N/A	PQI	V		
PQI	MEAHR521PA0101-08B1	DDR2 1066 2048MB	DS	PQE228808D19R	N/A	PQI			V
Team	BoxP/N:TXDD2048M1066HC5DC (TXDD1024M1066HC5)	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A			
Team	BoxP/N:TXDD2048M1066HC5DC-D (TXDD1024M1066HC5-D)	DDR2 1066 2048MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A			
Team	BoxP/N:TXDD4096M1066HC5DC-D (TXDD2048M1066HC5-D)	DDR2 1066 4096MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A			V

Note :

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the black slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserted into both the blue and black slots as two pairs of Dual-channel memory configuration

M3N WS Motherboard Qualified Vendors Lists (QVL)

DDR2-800MHz capability for AM2 CPU

Vendor	Part No.	Size	SS/ DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
A-DATA	M2OAD6G3H3160G1E53	512MB	SS	AD29608A8A-25EG	N/A	N/A	•	•	•
A-DATA	M2OAD6G3J417011E58	1GB	DS	AD26908A8A-25EG	N/A	N/A	•		
A-DATA	M2OAD6H3J4171Q1E52	2GB	DS	AD20908A8A-25EG	N/A	A-DATA	•	•	•
Apacer	78.91G91.9K5	512MB	SS	AM4B5708JQS8E	N/A	APACER	•	•	•
Apacer	78.01GA0.9K5	1GB	SS	AM4B5808CQS8E	N/A	APACER	•	•	•
Apacer	78.A1GA0.9K4	2GB	DS	AM4B5808CQS8E	5	APACER	•	•	•
CORSAIR	CM2X1024-6400C4	1GB	DS	Heat-Sink Package	4	N/A	•		
Crucial	BL12864AA804.16FD	1GB	DS	Heat-Sink Package	4	N/A	•		
Crucial	BL12864AL804.16FD3	1GB	DS	Heat-Sink Package	4	N/A	•	•	
Crucial	BL12864AA804.16FD3	1GB	DS	Heat-Sink Package	4	N/A	•	•	•
ELPIDA	EBE10EE8ABFA-8E-E	1GB	SS	E1108AB-8E-E(ECC)	5	ELPIDA	•		•
G.SKILL	F2-6400CL4D-2GBPK	1GB	DS	Heat-Sink Package	N/A	N/A	•	•	•
G.SKILL	F2-6400PHU2-2GBNR	1GB	DS	Heat-Sink Package	N/A	N/A	•	•	•
G.SKILL	F2-6400CL4D-4GBPK	4GB (Kit of 2)	DS	Heat-Sink Package	4	N/A	•	•	•
G.SKILL	F2-6400CL5D-4GBPQ	4GB (Kit of 2)	DS	Heat-Sink Package	5	N/A	•	•	•
GEIL	Heat-Sink Package	2GB	DS	GE24GB800C5DC	5-5-5-15	N/A	•	•	•
GEIL	Heat-Sink Package	2GB	DS	GE28GB800C5QC	5-5-5-15	N/A	•	•	•
GEIL	Heat-Sink Package	2GB	DS	GE28GB800C4QC	4-4-4-12	N/A	•	•	•
GEIL	Heat-Sink Package	2GB	DS	GE24GB800C4DC	4-4-4-12	N/A	•	•	•
GEIL	GL2L128M88BA25AB	2GB	DS	GB24GB6400C5DC	5-5-5-15	GEIL	•	•	•
Hynix	HYMP564U64CP8-S5	512MB	SS	HY5PS12821CFP-S5	5-5-5	Hynix	•		
Hynix	HYMP512U64CP8-S5	1GB	DS	HY5PS12821CFP-S5	5-5-5	Hynix	•	•	•
KINGMAX	KLDC28F-A8KI5	512MB	SS	KK48FEIBF-HJK-25A	N/A	KINGMAX	•	•	
KINGMAX	KLDD48F-ABKI5	1GB	DS	KK48FEIBF-HJK-25A	N/A	KINGMAX	•	•	•
KINGMAX	KLDE88F-B8KB5	2GB	DS	KKB8FFBXF-CFA-25A	N/A	KINGMAX	•	•	•
KINGSTON	KVR800D2N5/512	512MB	SS	E5108AJBG-8E-E	N/A	ELPIDA	•	•	•
KINGSTON	KVR800D2N6/512	512MB	SS	E5108AJBG-8E-E	1.8	ELPIDA	•	•	•
KINGSTON	KHX6400D2LLK2/ 1GN(EPP)	1GB	SS	Heat-Sink Package	4-4-4-12	N/A	•		
KINGSTON	KHX6400D2ULK2/1G	1GB	SS	Heat-Sink Package	N/A	N/A	•	•	
KINGSTON	KVR800D2N5/1G	1GB	DS	V59C1512804QBF25	N/A	N/A	•	•	
KINGSTON	KVR800D2N6/1G	1GB	DS	E5108AJBG-8E-E	1.8	ELPIDA	•	•	•
KINGSTON	KVR800D2N5/2G	2GB	DS	E1108ACBG-8E-E	N/A	ELPIDA	•	•	•
NANYA	NT512T64U880BY-25C	512MB	SS	NT5TU64M8BE-25C	5	NANYA	•	•	•
NANYA	NT1GT64U8HBOBY-25C	1GB	DS	NT5TU64M8BE-25C	5	NANYA	•	•	•
NANYA	NT1GT64U8HCOBY-25D	1GB	DS	NT5TU64M8CE-25D	N/A	NANYA	•	•	•

M3N WS Motherboard Qualified Vendors Lists (QVL)

DDR2-800MHz capability for AM2 CPU (continued)

Vendor	Part No.	Size	SS/ DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
NANYA	NT2GT64U8HC0BY-AC	2GB	DS	NT5TU128M8CE-AC	5	NANYA	•	•	•
OCZ	OC22T8002GK	1GB	DS	Heat-Sink Package	N/A	N/A	•	•	•
OCZ	OC22FX800C32GK	1GB	DS	Heat-Sink Package	N/A	N/A	•	•	
OCZ	OC22P800R22GK	2GB (Kit of 2)	DS	Heat-Sink Package	4	N/A	•	•	•
OCZ	OC22P8004GK	4GB (Kit of 2)	DS	Heat-Sink Package	5-4-4	N/A	•	•	•
PSC	AL8E8F73C-8E1	2GB	DS	A3R1GE3CFF734MAA0E	5	PSC	•	•	•
Qimonda	HYS64T256020EU-25F-C2	2GB	DS	HYB18T1G800C2F-25F	5	QIMONDA	•	•	
Qimonda	HYS64T256020EU-2.5-C2	2GB	DS	HYB18T1G800C2F-2.5	6	QIMONDA	•	•	•
SAMSUNG	M378T6553GZS-CF7	512MB	SS	K4T51083QG	6	SAMSUNG	•	•	•
SAMSUNG	M378T2863QZS-CF7	1GB	SS	K4T1G084QQ	6	SAMSUNG	•	•	•
SAMSUNG	M391T2863QZS-CF7	1GB	SS	K4T1G084QQ(ECC)	6	SAMSUNG	•	•	•
SAMSUNG	M378T2953GZS-CF7	1GB	DS	K4T51083QG	6	SAMSUNG	•	•	•
SAMSUNG	M378T5263AZ3-CF7	4GB	DS	K4T2G084QA-HCF7	6	SAMSUNG	•	•	•
SAMSUNG	M391T5663QZS-CF7	2GB	DS	K4T1G084QQ	6	SAMSUNG	•	•	•
SAMSUNG	M378T5663QZS-CF7	2GB	DS	K4T1G084QQ(ECC)	6	SAMSUNG	•	•	•
Super Talent	T800UA12C4	512MB	SS	Heat-Sink Package	N/A	N/A	•	•	•
Super Talent	T800UB1GC4	1GB	DS	Heat-Sink Package	N/A	N/A	•	•	•
Aeneon	AET760UD00-25DC08X	1GB	SS	AET03R25DC	5	Aeneon	•	•	•
Aeneon	AET760UD00-25DB97X	1GB	DS	AET93R25DB	N/A	Aeneon	•	•	•
Aeneon	AET860UD00-25DC08S	2GB	DS	AET02R25DC	N/A	Aeneon	•	•	•
Aeneon	AET860UD00-25DC08X	2GB	DS	AET03R25DC	5	Aeneon	•	•	•
Asint	SLY2128M8-JGE	1GB	SS	DDR11208-GE	N/A	Asint	•	•	•
Asint	SLZ2128M8-JGE	2GB	DS	DDR11208-GE	N/A	Asint	•	•	•
CENTURY	28V2H8	512MB	SS	HY5PS12821BFP-S5	N/A	Hynix	•	•	
CENTURY	28VOH8	1GB	DS	HY5PS12821BFP-S5	N/A	Hynix	•	•	
Elixir	M2Y1G64TU8HB0B-25C	1GB	DS	N2TU51280BE-25C	5	Elixir	•	•	•
Oci	04701G16CZ5D2A	1GB	DS	64M8PC6400	5	Infinity	•	•	•
Patriot	PSD21G8002	1GB	DS	PM64M8D2BU-25PAC	5	Patriot	•		
Patriot	PSD22GB002	2GB	DS	PM128M8D2BU-25KC	5	Patriot	•	•	•
UMAX	D48001GP3-63BJU	1GB	DS	U2S12D30TP-8E	N/A	UMAX	•	•	•
UMAX	D48002GP0-73BCU	2GB	DS	U2S12D30TP-8E	N/A	UMAX	•		

M3N WS Motherboard Qualified Vendors Lists (QVL)

DDR2-667MHz capability for AM2 CPU

Vendor	Part No.	Size	SS/ DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
A-DATA	M2OAD5G3H31661C52	512MB	SS	AD29608A8A-3EG	5	A-DATA	•	•	
A-DATA	M2OAD5G3I41761C52	1GB	DS	AD29608A8A-3EG	5	A-DATA	•		
A-DATA	M2ONY5H3J41701C5Z	2GB	DS	NT5TU128M8BJ-3C	N/A	N/A		•	
Apacer	78.01G90.9K5	1GB	SS	AM4B5808CQJS7E	N/A	APACER	•		
Apacer	78.91G92.9K5	512MB	SS	AM4B5708JQJS7E	N/A	APACER	•		
Apacer	78.A1G90.9K4	2GB	DS	AM4B5808CQJS7E	N/A	APACER	•	•	
CORSAIR	VS 512MB667D2	512MB	SS	64M8CFEG	N/A	N/A	•	•	
CORSAIR	VS1GB667D2	1GB	DS	64M8CFEG	N/A	N/A	•	•	
crucial	BL6464AA663.8FD	512MB	SS	Heat-Sink Package	3	N/A	•	•	
crucial	BL12864AA663.16FD	1GB	DS	Heat-Sink Package	3	N/A	•	•	•
ELPIDA	EBE51UD8AEFA-6E-E	512MB	SS	E5108AE-6E-E	5	ELPIDA	•	•	•
G.SKILL	F2-5300CL5D-4GBMQ	4GB (Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	•	•	
G.SKILL	F2-5400PHU2-2GBNT	2GB (Kit of 2)	DS	D264M8GCF	5-5-5-15	G.SKILL	•		•
GEIL	GX21GB5300SX	1GB	DS	Heat-Sink Package	3-4-4-8	N/A	•	•	•
GEIL	GX22GB5300LX	2GB	DS	Heat-Sink Package	5-5-5-15	N/A	•	•	•
GEIL	GX24GB5300LDC	4GB (Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	•	•	•
Hynix	HYMP 512U64CP8-Y5	1GB	DS	HY5PS12821CFP-Y5	5	Hynix	•	•	•
Kingmax	KLCC28F-A8KB5	512MB	SS	KKEA88B4LAUG-29DX	5	KINGMAX	•	•	•
Kingmax	KLCD48F-A8KB5	1GB	DS	KKEA88B4LAUG-29DX	5	KINGMAX			•
KINGSTON	KVR667D2N5/ 512	512MB	SS	D6408TEBGGL3U	5	KINGSTON	•	•	
KINGSTON	KVR667D2E5/1G	1GB	DS	E5108AGBG-6E-E	N/A	ELPIDA	•	•	•
KINGSTON	KVR667D2E5/2G	2GB	DS	D9HNL	N/A	MICRON	•	•	•
KINGSTON	KVR667D2N5/1G	1GB	DS	E5108AGBG-6E-E	N/A	KINGSTON	•	•	•
KINGSTON	KVR667D2N5/2G	2GB	DS	E1108AB-6E-E	N/A	ELPIDA	•	•	
KINGSTON	KVR667D2N5/2G	2GB	DS	HY5PS1G831CFP-Y5	N/A	Hynix	•	•	•
NANYA	NT 512T64U88B0BY-3C	512MB	SS	NT5TU64M8BE-3C	5	NANYA	•	•	•
NANYA	NT2GT64U8HB0JY-3C	2GB	DS	NT5TU128M8BJ-3C	5	NANYA	•	•	•
PSC	AL7E8E63J-6E1	1GB	DS	A3R12E3JFF719A9T02	5	PSC	•	•	•
Qimonda	HYS64T256020EU-3S-C2	2GB	DS	HYB18T1GB00C2F-3S	5	QIMONDA	•	•	
SAMSUNG	M378T6553EZS-CE6	512MB	SS	K4T51083QE	5	SAMSUNG	•	•	
SAMSUNG	M378T2953EZ3-CE6	1GB	DS	K4T51083QE	5	SAMSUNG	•	•	•
SAMSUNG	M378T5263AZ3-CE6	4GB	DS	K4T2G084QA-HCE6	5	SAMSUNG	•	•	
Super Talent	T6UA 512C5	512MB	SS	Heat-Sink Package	5	N/A	•	•	
Super Talent	T6UB1GC5	1GB	DS	Heat-Sink Package	5	N/A	•	•	•
Transcend	JM667QLU-1G	1GB	SS	TQ243ECF8	5	Transcend	•	•	

M3N WS Motherboard Qualified Vendors Lists (QVL)

DDR2-667MHz capability for AM2 CPU (continued)

Vendor	Part No.	Size	SS/ DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
Transcend	JM667QLU-2G	2GB	DS	TQ243ECF8	5	Transcend	•	•	•
TwinMOS	8D-23JK5M2ETP	512MB	SS	TMM6208G8M30C	5	TwinMOS			•
Aeneon	AET660UD00-30DB97X	512MB	SS	AET93R300B	5	AENEON	•	•	•
Aeneon	AET760UD00-30B97X	1GB	DS	AET93R30DB	5	AENEON	•	•	
Aeneon	AET860UD00-30D	2GB	DS	AET02R30DC	5	AENEON	•	•	•
Aeneon	AET860UD00-30DB08X	2GB	DS	AET03F30DB	5	AENEON	•	•	
Asint	SLX264M8-J6E	512MB	SS	DDRIII6408-6E	N/A	Asint	•		
Asint	SLY2128M8-J6E	1GB	SS	DDRIII1208-6E	N/A	Asint	•	•	•
CENTURY	26V2H8	512MB	SS	HY5PS12821CFP-Y5	5	Hynix			•
CENTURY	26VOH8	1GB	DS	HY5PS12821CFP-Y5	5	Hynix	•	•	
Kingbox	N/A	1GB	SS	EPD2128082200E-4	N/A	Kingbox	•	•	•
Kingbox	N/A	1GB	DS	EPD264082200E-4	N/A	N/A	•		
Kingbox	N/A	1GB	DS	EPD264082200N-4	N/A	Kingbox	•	•	•
MDT	M 512-667-8	512MB	SS	18D 51280D-30648	4	MDT	•	•	•
MDT	M924-667-16	1GB	DS	18D 51280D-30646E	4	MDT		•	•
MDT	M924-667-16A	1GB	DS	18 51200D-30646	4	MDT	•	•	
Patriot	PSD2 51266781	512MB	SS	PM64M8D2BU-3KC	N/A	N/A	•	•	•
Patriot	PSD21G6672	1GB	DS	PM64M8D2BU-3PAC	5	Patriot	•	•	•
UMAX	D46701GP3-63BJU	1GB	DS	U2S12D30TP-6E	N/A	UMAX	•	•	•
UMAX	D46702GP0-73BCU	2GB	DS	U2S24D30TP-6E	N/A	UMAX	•		



Side(s): SS - Single-sided DS - Double-sided
DIMM support:

- **A*:** Supports one module inserted into either slot as Single-channel memory configuration.
- **B*:** Supports two modules inserted into either the yellow slots or the black slots as one pair of Dual-channel memory configuration.
- **C*:** Supports four modules inserted into both the yellow slots and the black slots as two pairs of Dual-channel memory configuration.



Visit the ASUS website for the latest QVL.