

M4A78-AM Memory Qualified Vendors List (QVL)

PM COPY

M4A78-AM DDR2 667 Qualified Vendors List (QVL)

Vendor	Part No.	Type	Size	SS/DS	Chip Brand	Chip NO.	Timing Dimm(Bios)	Voltage	socket support (Opt	
									A*	B*
A-Data	M2OAD5H3J417011C53	DDR2 667	2048MB	DS	ADATA	AD20908A8A-3EG 30724			●	●
Apacer	78.91G92.9K5	DDR2 667	512MB	SS	Apacer	AM4B5708JQJS7E0751C	5		●	●
Apacer	AU 512E667C5KBGC	DDR2 667	512MB	SS	Apacer	AM4B5708GQJS7E06332F	5		●	
Apacer	AU 512E667C5KBGC	DDR2 667	512MB	SS	Apacer	AM4B5708MIJS7E0627B	5		●	●
Apacer	78.01G90.9K5	DDR2 667	1024MB	SS	Apacer	AM4B5808CQJS7E0751C	5		●	●
Apacer	AU01GE667C5KBGC	DDR2 667	1024MB	DS	Apacer	AM4B5708GQJS7E0636B			●	●
Apacer	AU01GE667C5KBGC	DDR2 667	1024MB	DS	Apacer	AM4B5708MIJS7E0627B	5		●	●
Apacer	AM4B5808CQJS7E0749B	DDR2 667	2048MB	DS	Apacer	78.A1G90.9K4	5		●	●
Corsair	VS 512MB667D2	DDR2 667	512MB	DS	Corsair	MIII0052532M8CEC				
Corsair	VS1GB667D2	DDR2 667	1024MB	DS	Corsair	MID095D62864M8CEC			●	●
Corsair	XMS2-5400	DDR2 667	1024MB	DS	Corsair	Heat-Sink Package	4		●	●
G.SKILL	F2-5400PHU2-2GBNT	DDR2 667	2048MB(Kit of 2)	DS	G.SKILL	D2 64M8CCF 0815 C7173S	5-5-5-15		●	●
G.SKILL	F2-5300CL5D-4GBMQ	DDR2 667	4096MB(Kit of 2)	DS	G.SKILL	Heat-Sink Package SN:8151030036559	5-5-5-15		●	●
GEIL	GX21GB5300SX	DDR2 667	1024MB	DS	GEIL	Heat-Sink Package	3		●	●
GEIL	GX22GB5300LX	DDR2 667	2048MB	DS	GEIL	Heat-Sink Package	5		●	●
GEIL	GX24GB5300LDC	DDR2 667	2048MB	DS	GEIL	Heat-Sink Package	5		●	●
Kingmax	KLCC28F-A8KB5	DDR2 667	512MB	SS	Kingmax	KKEA88B4LAUG-29DX			●	●
Kingmax	KLCD48F-A8KB5	DDR2 667	1024MB	DS	Kingmax	KKEA88B4LAUG-29DX			●	●
Kingston	KVR667D2N5/ 512(矮版)	DDR2 667	512MB	SS	Kingston	D6408TR7CGL25U	5	1.8V	●	●
Kingston	KVR667D2E5/1G	DDR2 667	1024MB	DS	Elpida	E5108AJBG-8E-E(ECC)	5	1.8V	●	●
Kingston	KVR667D2N5/1G(矮版)	DDR2 667	1024MB	DS	PSC	E5108AJBG-8E-E	5	1.8V	●	●
Kingston	KVR667D2E5/2G	DDR2 667	2048MB	DS	Elpida	NT5TU128M8DE-3C(ECC)	5	1.8V	●	●
Kingston	KVR667D2N5/2G(矮版)	DDR2 667	2048MB	DS	Elpida	E1108ACBG-8E-E	5	1.8V	●	●
Micron	MT8HTF12864AY-667E1	DDR2 667	1024MB	SS	Micron	D9HNL 7ZE17	5		●	●
PSC	AL6E8E63J-6E1	DDR2 667	512MB	SS	PSC	A3R12E3JFF717B9A00	5		●	●
PSC	AL7E8F73C-6E1	DDR2 667	1024MB	SS	PSC	A3R1GE3CFF734MAA0J	5		●	●
PSC	AL6E8E63J-6E1	DDR2 667	1024MB	DS	PSC	A3R12E3JFF717B9A01	5		●	●
PSC	AL8E8F73C-6E1	DDR2 667	2048MB	DS	PSC	A3R1GE3CFF733MAA00	5		●	●
Samsung	M378T5263AZ3-CE6	DDR2 667	4096MB	DS	Samsung	K4T2G084QA-HCE6			●	●
Super Talent	T667UB1GV	DDR2 667	1024MB	DS	Super Talent	PG 64M8-800 0750	5	1.8V	●	●
Transcend	JM667QLU-1G	DDR2 667	1024MB	SS	Transced	TQ243PCF8T0838	5		●	●
Transcend	JM667QLJ-1G	DDR2 667	1024MB	DS	Elpida	E5108AJBG-6E-E	5		●	●
Transcend	JM667QLU-2G	DDR2 667	2048MB	DS	Transced	TQ243PCF8T0834	5		●	●
Twinmos	8D-A3JK5MPETP	DDR2 667	512MB	SS	PSC	A3R12E3GEF633ACAOY	5		●	●
AENEON	AET860UD00-30DB08X	DDR2 667	2048MB	DS	AENEON	AET03F30DB 0730	5		●	●
Asint	SLX264M8-J6E	DDR2 667	512MB	SS	Asint	DDRII6408-6E			●	●
ASINT	SLY2128M8-J6E	DDR2 667	1024MB	SS	ASINT	DDRII1208-6E 8115			●	●
Century	CENTURY 512MB	DDR2 667	512MB	SS	Hynix	HY5PS12821AFP-Y5			●	●
Century	CENTURY 512MB	DDR2 667	512MB	SS	Nanya	NT5TU64M8AE-3C			●	●
Century	CENTURY 1G	DDR2 667	1024MB	DS	Hynix	HY5PS12821AFP-Y5			●	●
Century	CENTURY 1G	DDR2 667	1024MB	DS	Nanya	NT5TU64M8AE-3C			●	●
ELIXIR	M2Y1G64TU8HA2B-3C	DDR2 667	1024MB	DS	elixir	M2TU 51280AE-3C717095R28F	5	1.7-1.9v	●	●
Elixir	M2Y1G64TU8HBOB-3C	DDR2 667	1024MB	DS	Elixir	N2TU 51280BE-3C639009W1CF	5		●	●
KINGBOX	512MB 667MHz	DDR2 667	512MB	SS	KINGBOX	EPD264082200-4			●	●
KINGBOX	DDRII 1G 667MHz	DDR2 667	1024MB	DS	KINGBOX	EPD264082200-4				
Leadmax	LRMP 512U64A8-Y5	DDR2 667	1024MB	DS	Hynix	HY5PS12821CFP-Y5 C 702AA	5		●	●
MDT	DDRII 512 PC667	DDR2 667	512MB	DS	MDT	18D 51201D-30726E	4		●	●
MDT	MDT 1024MB	DDR2 667	1024MB	DS	MDT	18D 51280D-30646E	4		●	●
TAKEMS	TMS51B264C081-665AP	DDR2 667	512MB	SS	takeMS	MS18T 51280-3S0627D	5		●	●
TAKEMS	TMS51B264C081-665QI	DDR2 667	512MB	SS	takeMS	MS18T 51280-3	5		●	●
TAKEMS	TMS1GB264C081-665AE	DDR2 667	1024MB	DS	takeMS	MS18T 51280-3SEA07100	5		●	
TAKEMS	TMS1GB264C081-665AP	DDR2 667	1024MB	DS	takeMS	MS18T 51280-3SP0717A	5		●	●
TAKEMS	TMS1GB264C081-665QI	DDR2 667	1024MB	DS	takeMS	MS18T 51280-3	5		●	●
TEAM	TVDD1.02M667C4	DDR2 667	1024MB	DS	TEAM	T2D648PT-6				
UMAX	D46701GP3-63BJU	DDR2 667	1024MB	DS	UMAX	U2S12D30YP-6E			●	●
UMAX	D46702GP0-73BCU	DDR2 667	2048MB	DS	UMAX	U2S24D30TP-6E	5		●	●

- 4 Dimm :
- **A***: Supports **one module** inserted in any slot as Single-channel memory configuration
 - **B***: Supports **2 modules** inserted into both the blue or black slots as two pairs of Dual-channel memory configuration

Note請按此鏈

-When installing total memory of 4GB capacity or more, Windows 32-bit operation system may only recognize less than 3GB. Hence, a total installed memory of less than 3GB is recommended.

-It is recommended to install the memory modules from the slots for better overclocking capability.

-The default DIMM frequency depends on its Serial Presence Detect (SPD), which is the standard way of accessing information from a memory module. Under the default state, some memory modules for overclocking may operate at a lower frequency than the vendor-marked value.