

1 Hard Drives

[✓] : Win7 Ready

Type	Model		O.S. Environment	
IDE	ExcelStor	J880	WinXP	
		Hitachi	HDS721616PLAT80	WinXP
	HDT722525DLAT80		WinXP	
	HDS725050KLAT80		WinXP	
	Maxtor	STM3250820A	WinXP	
		STM3320820A	WinXP	
	Seagate	ST3120814A	WinXP	
		ST3160215A	WinXP	
	WD	WD1800JB	WinXP	
		WD2000JB	WinXP	
		WD5000AAKB	✓	
	SATA150	Samsung	SP0812C	WinXP
		Seagate	ST3200826AS	✓
WD		WD1600JD	WinXP	
		WD2500JD	✓	
		WD4000KD	WinXP	
SATA300	Hitachi	HDS728080PLA380	WinXP	
		HDP725016GLA380	✓	
		HDT722525DLA380	✓	
		HDT721025SLA380	✓	
		HDP725032GLA380	WinXP	
		HDP725032GLA360	WinXP	
		HDT725050VLA360	✓	
		HDP725050GLA380	✓	
		HDP725050GLA360	✓	
	Maxtor	STM3320620AS	✓	
		STM3320820AS	✓	
		STM3500320AS	✓	
		STM31000340AS	✓	
	Samsung	HD080HJ	✓	
	Seagate	ST3808110AS	Vista	
		ST3120813AS	WinXP	
		ST3160812AS	WinXP	
		ST3250620AS	✓	
		ST3250824AS	WinXP	
		ST3250410AS	✓	
		ST3320620AS	WinXP	
		ST3500641AS	✓	
		ST31000330AS	WinXP	
		ST31000340NS	WinXP	
		WD	WD800JD	✓
	WD1200JS		✓	
	WD1600AVJS		✓	
	WD2500AAKS		✓	
	WD3200AAKS		✓	
	WD5000AAKS		✓	
	WD6400AAKS		✓	
	WD7500AYPS		✓	
	WD2502ABYS		✓	
WD10EACS-00D6B0	✓			
WD20EADS	✓			
SATA SSD	Mtron	MSP-SATA7035-032	✓	
	Patriot	PE64GS25SSDDR	✓	
	OCZ	SSD2-1VTX30G	✓	

2 Video Cards

[✓] : Win7 Ready

Type	Model	O.S. Environment
PCIEX16 ATI Chipset	ASUS EAX1550/TD/256M/A (BIOS: V7143.9.13.1.22.AS01)	✓
	EAX1600XT Silent/256MB V.1.00 (BIOS: 71C0.9.12.4.2)	✓
	EAX1650PROGE/HTD 256MX16 (BIOS: 71C1.9.13.1.18.AS03)	✓
	EAH2600PRO/HTDP/256M/A (BIOS: V9589.10.56.0.5.AS05)	✓
	EAH3450/HTP/256M/A (BIOS: V95C5.10.75.0.2.AS01)	✓
	EAH3450/HTP/512M/A Rev1.00 (BIOS: V95C5.10.79.0.1.AS05)	✓
	EAH3650/HTDP/512MD3/A (BIOS: V9598.10.74.0.1.AS02)	✓
	EAH3650 HM512/HTDP/256MD3/A (BIOS:V9598.10.74.0.1.AS03)	WinXP
	EAH3650 TOP /HTDI/256M/A (BIOS: V9598.10.74.0.2.AS03)	✓
	EAH3650 Silent MG /HTDP/512M/A (BIOS: V9598.10.74.0.2.AS03)	✓
	EAH3850/HTDI/256M/A (BIOS: V9505.1067.0.0.AS01)	✓
	EAH3850 TOP /HTDI/512M/A (BIOS: V9505.10.76.0.1.AS01)	✓
	EAH3850 SMART OC /HTDI/1GB/A (BIOS: V9505.10.80.0.1.AS01)	Vista
	EAH3850X2/HTDI/1GB/A (BIOS:V9513.10.81.1.0.AS03)	✓
	EAH3870/HTDI/512M/A (BIOS: V9501.10.67.0.0.AS01)	WinXP
	EAH3870 TOP /HTDI/512M/A (BIOS: V9501.10.78.0.0.AS03)	Vista
	EAH3870X2/HTDI/1GB/A (BIOS: V950F.10.75.0.2.AS01)	WinXP
	EAH3870X2 TOP/3DHTI/1GB/A (BIOS: V950F.10.77.0.0.AS23)	
EAH4350 Silent/di/512MD2/A (BIOS:V954F.11.12.0.2.AS01)		

Type	Model	O.S. Environment
PCIEX16 ATI Chipset	ASUS EAH4550/DI/512MD3/A (BIOS:V9540.11.12.0.2.AS02)	✓
	EAH4650/DI/256M/A (BIOS:V9498.11.21.0.2.AS01)	✓
	EAH4650/DI/512MD2/A (BIOS:V9498.11.10.0.2.AS01)	✓
	EAH4670/DI/512M/A (BIOS:V9490.11.8.0.0.AS04)	✓
	EAH4670/DI/1G/A (BIOS:V9490.11.12.0.2.AS02)	✓
	EAH4770/HTDI/512MD5/A (BIOS:V94B3.11.22.3.0.AS01)	✓
	EAH4770FML/DI/512MD5/A (BIOS:V94B3.11.22.3.0.AS02)	✓
	EAH4830//HTDP/512MD3/A (BIOS:V944C.11.3.0.0.AS03)	WinXP
	EAH4850/HTDI/512M/A (BIOS:V9442.11.10.0.2.AS01)	✓
	EAH4850 Top/HTDI/512M/A (BIOS:V9442.11.3.0.0.AS05)	✓
	EAH4870/HTDI/512M/A (BIOS:V9440.11.3.0.1.AS01)	✓
	EAH4870MT/HTDI/512M/A (BIOS:V9440.11.12.0.2.AS01)	✓
	EAH4890/HTDI/1GD5/A (BIOS:V9460.11.22.0.1.AS01)	Vista
	EAH5770/2DIS/1GD5/A (BIOS:V68B8.12.12.0.3.AS01)	✓
	Elsa ATI Fire GL V3100 (BIOS: V113.A33429.100)	WinXP
Gecube RADEON X1300PRO (BIOS: V133.A671B1.102)	✓	
Gigabyte GV-R485-512H-B (BIOS:V011.004.000.000.029193)	✓	
HIS HD4670/512MB/DDR3 IceQ Turbo (BIOS:V011.013.000)	✓	
Powercolor X1950PRO/256M (BIOS:V113-Aa99902-108)	✓	

Type	Model		O.S. Environment
PCIEX16 ATI Chipset	Powercolor	AX4830/512MD3-H (BIOS:011.12.000)	✓
	PALIT	RADEON HD4850/512M/DDR3 (BIOS:V011.008.000)	✓
	VISIONTEK	HD3870X/512M (BIOS:010.073.000)	✓
PCIEX16 NVIDIA Chipse	ASUS	EN7600GS TOP Silent 512MB (Bios: V5.73.22.20.AS03)	✓
		EN7900GTX/512MX16 (Bios: V5.71.22.12.01)	✓
		EN7900GS/256MX16 (Bios: V5.71.22.41.AS01)	✓
		EN7950GX2/2PHT/1G (Bios: V5.71.22.41.AS01)	✓
		EN8400GSSilent/HTP/512M (BIOS:V62.98.12.00.AS13)	WinXP
		EN8500GT Silent/HTD/256M (BIOS:V60.86.26.00.AS01)	WinXP
		EN8600GT/2DHT/256M/A (BIOS:V60.84.31.00)	Vista
		EN8600GT/HTDP/512M/A (BIOS:V60.84.41.00.AS07)	Vista
		EN8600GTSilent/HTDP/256M/A (BIOS:V60.84.41.00.AS41)	WinXP
		EN8800GT/G/HTDP/512M (BIOS: 60.92.16.00.AS01)	✓
		EN8800GS/HTDP/384M (BIOS: 62.92.29.00.AS21)	✓
		EN8800GTX 768MX16 (Bios: V60.80.06.00.02)	WinXP
		EN9400GT/HTP/512M (Bios: V62.94.4B.00.AS33)	✓
		EN9400GT/DI/512M (BIOS: V62.94.54.00.AS05)	✓
EN9400GT/DI/1G (BIOS: V62.94.54.00.AS06)	✓		
EN9500GT /DI/1G/A (Bios: V62.94.4B.00.AS49)	Vista		

Type	Model	O.S. Environment
PCIEX16 NVIDIA Chipse	ASUS EN9600GSO MG-HTDP/512M/A (Bios: V62.92.3B.00.AS09)	✓
	EN9600GT/HTDP/512M (Bios: V62.94.0D.00.AS01)	WinXP
	EN9600GT SLIent/HTDI /512M (Bios: V62.94.11.00.AS15)	WinXP
	EN9600GT MT/HTDI/512M (Bios: V62.94.11.00.AS49)	✓
	EN9600GSO/DI/512MD3/A(C393GP) (BIOS:V62.92.5E.00.AS09)	✓
	EN9600GT/DI/512MD3/A(C562P) (BIOS:V62.94.82.00.AS03)	✓
	EN9800GT MT/HTDI/512M/A (Bios: V62.92.3B.00.AS31)	✓
	EN9800GT/HTDP/1GD3/A(C393L) (BIOS:V62.92.3B.00.AS61)	WinXP
	EN9800GTX TOP/HTDP/512M (Bios: V62.92.3B.00.AS03)	✓
	EN9800GT/HTDP/512M/A (Bios: V62.92.3B.00.AS43)	✓
	EN9800GT/HTDP/512M/A (Bios: V62.92.3B.00.AS43)	✓
	EN210/DI/512MD2/A (Bios: 70.18.2D.00.AS01)	✓
	ENGT220/DI/1GD3/LP (C684P) (BIOS:V70.16.2E.00.AS01)	✓
	ENGTX260/HTDI/896M (Bios: V62.00.1A.00.AS07)	✓
	ENGTS250 DK/HTDI/1GD3/A(C391MP) (BIOS:V62.92.7D.00.AS02)	✓
	ENGTX260 TOP/HTDI/896M/A(P654) (Bios: V62.00.3D.00.AS03)	✓
	ENGTX260 TOP/HTDI/896MD3/A(C897P) (BIOS:V62.00.4C.00.AS02)	✓
	ENGTX285 TOP/HTDI/1GD3/A(C892P) (BIOS:V62.00.52.00.AS02)	✓
	ENG TX280/HTDI/1G (Bios:V62.00.1C.00.AS01)	✓
	EVGA GEFORCE 8600GT-256M (Bios: V60.84.51.00.08)	✓
Geforce9400GT 512M (Bios: V62.94.29.00.40)	✓	
GEFORCE -260GTX-896MX16 (Bios:62.00.4C.00.50)	✓	

Type	Model		O.S. Environment
PCIEX16 NVIDIA Chipse	Gigabyte	GV-NX84G256HE/256M (BIOS:v60.86.50.00.00)	✓
	XFX	GeFORCE 8600GTS/256M (Bios:V60.84.18.00.83)	✓
		Geforce9500GT 512M (Bios: V62.94.4B.00.71)	✓

3 Peripheral

[✓] : Win7 Ready

3.1. Audio

3.1.1 Earphone Devices

Type	Model		Win7 Ready
Earphone	Audio-technica	ATH-AD400	✓
	Sony	MDR-XD200	✓

3.1.2 Sound Adapters

Type	Model		Win7 Ready
PCI	ASUS	XONAR D2	✓
	Creative	Sound Blaster X-Fi Fatal1ty	✓ F 71
	Mediatek	ExplorerII 7.1	✓
PCIEX1	Creative	X-Fi Titanium	✓

3.1.3 Speaker

Type	Model		Win7 Ready
Line out	Creative	M5300	✓
	Jazz SPEAKERS	J-1118	✓
	Kuro	KUP700	✓

3.2. Controller Cards

3.2.1 1394

Type	Model		Win7 Ready
PCI	Uptech	UT1394 A+B COMBO	✓

3.2.2 SATA

Type	Model		Win7 Ready
PCI	Uptech	SATAII SC400 (BIOS: V5.4.0.3)	WinXP
PCIEX1	Upmost	SR210 (BIOS: V7.3.13)	✓

3.2.3 SATA RAID

Type	Model		Win7 Ready
PCIEX4	3Ware	3W-9650SE-8LPML (BIOS:4.08.00.006)	WinXP
PCIEX8	Areca	ARC-1210 (BIOS: V1.47)	✓

3.2.4 SAS RAID

Type	Model		Win7 Ready
PCIEX4	HighPoint	RocketRAID 2640	✓
	Adaptec	ASR3805	✓
PCIEX8	Adaptec	ASR-5405	✓

3.3. Ethernet

3.3.1 100 BaseTx Networking Cards

Type		Model	Win7 Reay
PCI	Trendnet	TE100-PCIWN	✓
	D-Link	DFE-530TX Rev. C2	✓
	Buffalo	LCI5-TXI	✓

3.3.2 1000 BaseTx Networking Cards

Type		Model	Win7 Reay
PCI	Intel	PWLA8391GT	WinXP
	Buffalo	10/100/1000Base-T	✓
PCIEX1	ASUS	PEB-G21 Rev 1.00	✓
	Rosewill	RC-401-EX	✓
PCIEX4	Intel	EXPI9402PT	✓

3.3.3 Networking Hubs/Switchs/Routers

Type		Model	Win7 Ready
Home Plug	ASUS	PL-X31	✓
		FX-D1161	✓
Switch	ASUS	GX-D1081	✓
	CISCO	WS-C2950T24	✓
	Linksys	SD2008	✓
	TP-Link	TL-SF1008D	✓
Router	Buffalo	BBR-4HG	✓
	Corega	CG-BARPS	✓

3.3.4 Wireless Networking

Type		Model	Win7 Ready
PCI	D-Link	DWA-547	✓
	ZyXel	NWD-370N	✓ F 79
USB	D-Link	DWA-160	✓
	Pci	GW-US300MiniW	✓

3.3.5 Wireless LAN Access Point

Type		Model	Win7 Ready
AP	BELKIN	F5D8232	✓
	Linksys	WRT160N	✓

3.4 Fans and Heatsinks

Type		Model	Win7 Ready
AMD	AMD	Product Fan (0.75A)	BIOS Setting
		Product Thermal Control Fan (0.55A)	BIOS Setting
	ASUS	Royal Knight	BIOS Setting
		Square G11 LION	BIOS Setting
		Troy Square	BIOS Setting
	CoolerMaster	Hyper 212 Plus	BIOS Setting
		N520	BIOS Setting
		V8	BIOS Setting
	Evercool	Transformer6	BIOS Setting
	SilverStone	NT06-E Evolution	BIOS Setting
	Thermaltake	SpinQ	BIOS Setting
	Zalman	CNPS9900 LED	BIOS Setting

3.5. Keyboards/Mice

3.5.1 Keyboards

Type		Model	Win7 Ready
Bluetooth	Logitech	Y-RAY81	✓
PS/2	ASUS	AS-KBA000	✓

3.5.1 Keyboards

Type	Model		Win7 Ready
PS/2	Cherry	G83-6000	✓
	TACTICAL	TACTICAL KEYBOARD	✓
USB	Apple	A1243	✓
	Dell	RT7D60	✓
	Enermax	KB007U-B	✓
	Ergotech	ET-K701	✓
	Gigabyte	GK-K8000	✓
	Logitech	New Touch keyboard200	✓

3.5.2 Keyboard + Mice Combos

Type	Model		Win7 Ready
Bluetooth	Logitech	MX5500 Revolution	✓
PS/2	ASUS	KS-63	✓
		MS-511U	✓
USB	Logitech	MX3200 Laser	✓
			✓
		Y-RCP140	✓
	Microsoft	Wireless Laser Desktop 6000	✓

3.5.3 Mouse

Type	Model		Win7 Ready
USB	ASUS	Vito W1(心跳鼠)	✓
	Logitech	G9	✓
		VAG96B	✓
	Microsoft	ARC mouse	✓
		Explorer	✓
	Genius	GM-03003	✓

3.6 Optical Drives

Type	Model		Win7 Ready
IDE	ASUS	DRW-20B1S	✓
	LG	GH22N	✓
	Lite-On	DH-20A4P	✓
USB	ASUS	SBC-04D1S-U	✓
	LG	BE06	✓
		GE20LU10	✓
	MSI	UO800	✓
SATA	ASUS	DRW-20B1ST	✓
		DRW-22B1LT	✓
	BenQ	DW240S	✓
	LG	GH20NS	✓
		GH22NS40	✓
	Plextor	PX-880SA	✓

3.7. Power Supplies

	Model	Win7 Ready
AcBel	API4PC24	✓
	PC7030	✓
ASUS	P-50GA	✓
	P-55GA	✓
	U-65GA	✓
	U-75HA	✓
		✓
Be quiet	P6-PRO-850W	✓
	BN073	✓
Bubalus	PE600WJD	✓
CoolerMaster	RS-850EMBA	✓
	RS-A00-ESBA	✓
	RS-750	✓

3.7. Power Supplies

	Model	Win7 Ready
Corsair	CMPSU-620HX	✓
	HX1000W	✓
Coolive	AP-350F	✓
CWT	PSH650V-D	✓
	PSH750V-D	✓
Delta	GPS-350AB	✓
EnerMAX	EG495AX-VE (E)(24P)	✓
	ELT500AWT	✓
	EIN720AWT	✓
FSP	ATX-300PNR	✓
	FSP500-60GLN	✓
Gigabyte	M550A-D1	✓
	P610A-C1	✓
GoldenField	ATX-S388	✓
	ATX-S398	✓
	ATX-S550	✓
GreatWall	BTX-600SE	✓
HECHUAN	ST-ATX330	✓
Seasonic	SS-351HT	✓
	SS-500HM	✓
	SS-550HT	✓
Seventeam	ST-522HLP	✓
	ST550EAJ-05F	✓
Snake	PSH850V	✓
Silverstone	ZM1200M	✓
	SST-ST50EF	✓
	PSU ST56ZF	✓
Tagan	TG1100-U33	✓
T.C.STAR	D420	✓
Thermaltake	W0132RE	✓
	W0133RU	✓
	W0171	✓
	TWV500W-AP	✓
	PUREPower-600AP	✓
Zippy	HP2-6500PE (G1)	✓
	PSL6720P	✓

3.8. Printers/Scanners

3.8.1 Printer

Type	Model	Win7 Ready
USB	Canon PIXMA MP180	✓
	PIXMA MX308	✓

3.8.2 Scanner

Type	Model	Win7 Ready
1394	Epson Perfection V750 PRO	✓
USB	Canon PIXMA MP180	✓
	PIXMA MX308	✓
	Epson Perfection 4990 Photo	✓
	Stylus CX8300	✓

3.9. TV Cards

Type	Model	O.S. Environment
PCI	Compro Vista H900F	✓
	M3F	✓
	Upmost UTV	✓
	Leadtek WinFast DTV1800H	✓
PCIEX1	Compro Vide Mate E700	✓

3.9. TV Cards

Type	Model		O.S. Environment
USB	Compro	U150	✓
	Upmost	AD370	✓

3.10 USB Storage

3.10.1 Card Readers

Type	Model		Win7 Ready
USB	Apacer	Card Reader AP450	✓

3.10.2 External Enclosures

Type	Model		Win7 Ready
SATA/ eSATA	DigiFusion	HD-343SSC	✓
	Seagate	Free Agent	✓
	Stardom	i302	✓
USB	Buffalo	HD-CE1.0TU2 1TB	✓
		HD-PE500U2 500GB	✓
	DigiFusion	HD-343SSC	✓
	Maxtoy	Basics Desktop 1.5TB	✓
	Seagate	Free Agent	✓
		Free Agent 320GB	✓
	Stysen	E01	✓
	TRANSCEND	STOREJET 25F	✓
WD	My Book Home	✓	
USB 3.0	Buffalo	HD-H1.0TU3	✓

3.10.3 USB Flash Drives

Type	Model		Win7 Ready
eSATA	iMate	combo driver	✓
USB	Adata	C801	✓
		MyFlash	✓
	AIGO	L8206	✓
	Apacer	AH221	✓
		HA202	✓
	Corsair	CMFUSBSRVR	✓
	IENOV0	T160	✓
	iMate	combo driver	✓
	NETAC	U215	✓
	OCZ	Z2B818	✓

3.10.4 USB Hubs

Type	Model		Win7 Ready
USB	BELKIN	F5D8232	✓
	D-Link	DUB-H7	✓

3.10.5 Apple(R) iPod Series Device

Type	Model		Win7 Ready
USB	iPod	Video 80G	✓
		touch 8G	✓

3.11. Others Input Device:

3.11.1 Bluetooth Adapter

Type	Model		O.S. Environment
USB	Bluetooth	Bluetooth USB Dongle KJ-B110	✓
	Linksys	USBTT100	✓

3.11.2 Digital Cameras

Type	Model		O.S. Environment
USB	Canon	IXUS75	✓

	<i>Samsung</i>	<i>i70</i>	✓
--	----------------	------------	---

3.11.3 Tablets

Type	Model		O.S. Environment
<i>USB</i>	<i>PenPower</i>	<i>Touch Pad PD8UE</i>	✓
	<i>Wacom</i>	<i>Bamboo-CTH-460/K0-C</i>	✓

3.11.4 PC Game Controller

Type	Model		O.S. Environment
<i>USB</i>	<i>FlashFire</i>	<i>GSF1101U</i>	✓
	<i>Logitech</i>	<i>Dual Action GamePad</i>	✓
		<i>Dual Action2</i>	✓
	<i>MICROSOFT</i>	<i>XBOX 360 Controller</i>	✓

3.11.5 Web Cams

Type	Model		O.S. Environment
<i>USB 2.0</i>	<i>Logitech</i>	<i>QuickCam Fusion</i>	WinXP
	<i>Microsoft</i>	<i>NX6000</i>	WinXP