

Marketing Spec – Z60Np

Processor & Cache	
Processor & Cache	uFC-PGA package Mobile Intel® Pentium® M Processor - up to 1.8 GHz with 1024KB On-Die L2 Cache Supports Enhanced SpeedStep Technology
BIOS	
BIOS	AMI 4MB Flash EPROM
Chipsets	
Chipsets	Intel 855GME+ & ICH4
Main Memory	
Memory	Two SODIMM socket supported for expansion up to 2GB total
User Installable Memory	One DDR SO-DIMM Slot of 256/512/1024 MB
Maximum Memory	Two DDR SO-DIMM Slots for Maximum Memory of 2048MB
Graphics & Video Module	
Graphics & Video Module	Embedded 855 GME+ internal Gfx
HDD	
HDD	2.5" 9.5mm IDE HDD with Ultra DMA/100 support
	Supported capacities of 40/ 60/ 80 GB or higher
Optical Device	
CD-ROM Player	N/A
DVD-ROM Player	BTO 8X DVD-ROM Drive
DVD/CD-RW Combo	BTO 8X/24X24X24X DVD Combo Drive
DVD-RW	BTO 2X DVD-RW Combo Drive
Video	
Display Controller	Embedded 855 GME internal Grfx
LCD Display	
LCD Display	14.1" active matrix color TFT
	14.1" XGA 256K colors max

CRT Display Modes	
External CRT Display Mode	VGA 640x480, 256/64K/16.7M Colors
	SVGA 800x600, 256/64K/16.7M Colors
	XGA 1024x768, 256/64K/16.7M Colors
	SXGA 1280x1024, 256/64K/16.7M Colors
	UXGA 1600x1200, 256/64K/16.7M Colors
Communication	
IrDA	One infrared port
Modem board	56K S/W modem (MDC type)
LAN	10/100 Base T (on board)
Wireless LAN	Built in antenna
	Mini PCI 802.11b
Audio/Multimedia DJ	
Features	Built-in AC'97 stereo sound, with 3D sound effects
	Full duplex audio
	Built-in stereo speakers and mono microphone
Interface / Ports	
I/O Ports	1 IEEE 1394
	1 Infrared port support SIR
	1 SPDIF optical out, combo with headphone jack
	2 Audio jacks: Microphone-in/Line-in
	1 VGA port/Mini D-sub 15-pin for external monitor
	4 USB 2.0 ports
	1 printer port
	1 Type II PCMCIA slot
	1 RJ11 connector for Modem
	1 PortBar III 68 pin connector
	1 RJ45 connector for Ethernet
I/O Devices	
PC Card Slot	1 type II card, CardBus support
Keyboard	Desktop-like 19mm full size (qwerty key only) 86-key with Windows function keys
	Thickness: 5.0mm

Pointing Device	Built-in Glide Pad with 2 Click Buttons, 1 jog-dial Button
Hot Keys	4 Instant Keys: Email, Internet Access, AP1, Power4 Gear+

System Status Indicator	
Indicator	Power on/Suspend, Battery Charging, Storage Access, Caps Lock, and Number Lock
	Email-in, Wireless
AC Adapter	
AC Adapter	Output: 19V DC, 3.42A, 65W
	Input: 100~240V AC, 50/60Hz Universal
Battery Pack & Life	
Primary Battery Pack	Li-Ion 8cells, 4400mAh battery pack
	Charging time, 2.5hrs (power off)/4hrs (power on)
	Battery low warning
Power Management	Full feature ACPI power management, Stand-by, Suspend to Disk, Suspend to RAM
	ACPI 2.0 supported
Dimension / Weight	
Dimension	309(W)x254(D)x29(H) mm
Weight	2.27kg