

Qualified Vendors List (QVL) Standard table for user manual

Project Name : P5N-VM WS 1.02G BIOS : 0209 ; 0039

Vendor	Part No.	Size	SS/DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
A-DATA	M2OAD6H3J 4171Q1E52	DDR2 800 2048MB	DS	AD20908A8A -25EG	N/A	A-DATA	V	V	V
Apacer	78.01GA0.9K 5	DDR2 800 1024MB	SS	AM4B5808C QJS8E	N/A	APACER	V	V	V
Apacer	78.91G9I.9K5	DDR2 800 512MB	SS	AM4B5708JQ JS8E	N/A	APACER			V
Apacer	78.A1GA0.9K 4	DDR2 800 2048MB	DS	AM4B5808C QJS8E	5	APACER	V	V	V
CORSAIR	Box P/N:TWIN2X 4096-6400C5 (CM2X2048- 6400C5)	DDR2 800 4096MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A	V	V	V
CORSAIR	BoxP/N:TWI N2X4096- 6400C4DHX (CM2X2048- 6400C4DHX)	DDR2 800 4096MB(Kit of 2)	DS	Heat-Sink Package	4-4-4-12	N/A	V	V	V
CORSAIR	BoxP/N:TWI N2X4096- 6400C5DHX (CM2X2048- 6400C5DHX)	DDR2 800 4096MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A	V	V	V
CORSAIR	CM2X1024- 6400C4	DDR2 800 1024MB	DS	Heat-Sink Package	4	N/A	V	V	
Crucial	BL12864AA8 04.16FD3	DDR2 800 1024MB	DS	Heat-Sink Package	4	N/A		V	V
Crucial	BL12864AA8 04.16FD	DDR2 800 1024MB	DS	Heat-Sink Package	4	N/A			
Crucial	BL12864AL8 04.16FD3	DDR2 800 1024MB	DS	Heat-Sink Package	4	N/A	V	V	V
ELPIDA	EBE10EE8A BFA-8E-E	DDR2 800 1024MB	SS	E1108AB-8E- E(ECC)	5	ELPIDA			
ELPIDA	EBE21EE8A BFA-8E-E	DDR2 800 2048MB	DS	E1108AB-8E- E(ECC)	5	ELPIDA			
G.SKILL	F2- 6400CL5D- 1GBNQ	DDR2 800 1024MB(Kit of 2)	SS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
G.SKILL	F2- 6400CL4D- 2GBHK	DDR2 800 1024MB	DS	Heat-Sink Package	N/A	N/A	V	V	V
G.SKILL	F2- 6400CL4D- 2GBPQ	DDR2 800 1024MB	DS	Heat-Sink Package	N/A	N/A	V	V	V
G.SKILL	F2- 6400CL4D- 4GBPQ	DDR2 800 4096MB(Kit of 2)	DS	Heat-Sink Package	4	N/A		V	
G.SKILL	F2- 6400CL5D- 2GBNQ	DDR2 800 1024MB	DS	Heat-Sink Package	N/A	N/A	V	V	
G.SKILL	F2- 6400CL5D- 4GBPQ	DDR2 800 4096MB(Kit of 2)	DS	Heat-Sink Package	5	N/A	V	V	V
G.SKILL	F2- 6400CL6D- 4GBMQ	DDR2 800 4096MB(Kit of 2)	DS	Heat-Sink Package	6	N/A	V	V	V
G.SKILL	F2- 6400CL6D- 8GBNQ	DDR2 800 8192MB(Kit of 2)	DS	Heat-Sink Package	6-6-6-18	N/A		V	

Vendor	Part No.	Size	SS/DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
G.SKILL	F2-6400PHU2-2GBNR	DDR2 800 1024MB	DS	Heat-Sink Package	N/A	N/A		V	V
GEIL	GB22GB6400 C4DC	DDR2 800 2048MB(Kit of 2)	DS	GL2L64M088 BA30EB	N/A	N/A	V	V	V
GEIL	GB22GB6400 C5DC	DDR2 800 2048MB(Kit of 2)	DS	GL2L64M088 BA30EB	5-5-5-15	GEIL	V	V	V
GEIL	GB24GB6400 C4DC	DDR2 800 4096MB(Kit of 2)	DS	GL2L128M88 BA25AB	4-4-4-12	GEIL	V	V	V
GEIL	GB24GB6400 C4QC	DDR2 800 4096MB(Kit of 4)	DS	GL2L64M088 BA30EB	N/A	N/A	V	V	V
GEIL	GB24GB6400 C5DC	DDR2 800 4096MB(Kit of 2)	DS	GL2L128M88 BA25AB	5-5-5-15	GEIL	V		
GEIL	GB24GB6400 C5QC	DDR2 800 4096MB(Kit of 2)	DS	GL2L64M088 BA30EB	N/A	N/A	V	V	V
GEIL	GB28GB6400 C4QC	DDR2 800 8192MB(Kit of 4)	DS	GL2L128M88 BA25AB	N/A	N/A	V	V	V
GEIL	GB28GB6400 C5QC	DDR2 800 8192MB(Kit of 4)	DS	GL2L128M88 BA25AB	N/A	N/A	V		
GEIL	GE22GB800C 4DC	DDR2 800 2048MB(Kit of 2)	DS	Heat-Sink Package	4-4-4-12	N/A	V	V	V
GEIL	GE22GB800C 5DC	DDR2 800 2048MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
GEIL	GE24GB800C 4DC	DDR2 800 2048MB	DS	Heat-Sink Package	4-4-4-12	N/A		V	V
GEIL	GE24GB800C 4QC	DDR2 800 4096MB(Kit of 4)	DS	Heat-Sink Package	N/A	N/A	V	V	V
GEIL	GE24GB800C 5DC	DDR2 800 2048MB	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
GEIL	GE24GB800C 5QC	DDR2 800 4096MB(Kit of 4)	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
GEIL	GE28GB800C 4QC	DDR2 800 2048MB	DS	Heat-Sink Package	4-4-4-12	N/A		V	V
GEIL	GE28GB800C 5QC	DDR2 800 2048MB	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
GEIL	GX22GB6400 C4USC	DDR2 800 2048MB	DS	Heat-Sink Package	4-4-4-12	N/A	V	V	V
GEIL	GX22GB6400 DC	DDR2 800 2048MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
GEIL	GX22GB6400 LX	DDR2 800 2048MB	DS	Heat-Sink Package	5-5-5-15	N/A	V	V	V
GEIL	GX22GB6400 UDC	DDR2 800 2048MB(Kit of 2)	DS	Heat-Sink Package	4-4-4-12	N/A	V	V	V
GEIL	GX24GB6400 DC	DDR2 800 4096MB(Kit of 2)	DS	Heat-Sink Package	5-5-5-15	N/A			V
Hynix	HYMP564U6 4CP8-S5	DDR2 800 512MB	SS	HY5PS12821 CFP-S5	5-5-5	Hynix	V		V

Vendor	Part No.	Size	SS/DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
Hynix	HYMP 512U64CP8- S5	DDR2 800 1024MB	DS	HY5PS12821 CFP-S5	5-5-5	Hynix		V	V
KINGMAX	KLDC28F- A8K15	DDR2 800 512MB	SS	KKA8FEIBF- HJK-25A	N/A	KINGMAX		V	V
KINGMAX	KLDD48F- ABK15	DDR2 800 1024MB	DS	KKA8FEIBF- HJK-25A	N/A	KINGMAX	V		
KINGMAX	KLDE88F- B8KB5	DDR2 800 2048MB	DS	KKB8FFBXP- CFA-25A	N/A	KINGMAX		V	V
KINGSTON	KHX6400D2/ 512	DDR2 800 512MB	SS	Heat-Sink Package	N/A	N/A	V	V	V
KINGSTON	KHX6400D2 LLK2/1GN(E PP)	DDR2 800 1024MB(Kit of 2)	SS	Heat-Sink Package	4-4-4-12	N/A			
KINGSTON	KVR800D2N 5/ 512	DDR2 800 512MB	SS	E5108AJBG- 8E-E	N/A	ELPIDA		V	V
KINGSTON	KVR800D2N 5/1G	DDR2 800 1024MB	SS	HY5PS1GB31 CFP-S5	N/A	Hynix			
KINGSTON	KVR800D2N 6/ 512	DDR2 800 512MB	SS	E5108AJBG- 8E-E	1.8	ELPIDA	V	V	V
KINGSTON	KHX6400D2/ 2G	DDR2 800 2048MB	DS	Heat-Sink Package	N/A	N/A	V	V	V
KINGSTON	KHX6400D2 LL/1G	DDR2 800 1024MB	DS	Heat-Sink Package	4-4-4-12	N/A			
KINGSTON	KHX6400D2 ULK2/2G	DDR2 800 2048MB(Kit of 2)	DS	Heat-Sink Package	N/A	N/A			
KINGSTON	KVR800D2N 5/1G	DDR2 800 1024MB	DS	E5108AJBG- 8E-E	N/A	ELPIDA			
KINGSTON	KVR800D2N 5/1G	DDR2 800 1024MB	DS	V59C1 512804QBF2 5	N/A	N/A	V	V	V
KINGSTON	KVR800D2N 5/2G	DDR2 800 2048MB	DS	E1108ACBG- 8E-E	N/A	ELPIDA		V	V
KINGSTON	KVR800D2N 6/1G	DDR2 800 1024MB	DS	E5108AJBG- 8E-E	1.8	ELPIDA		V	V
KINGSTON	KVR800D2N 6/4G	DDR2 800 4096MB	DS	E2108ABSE- 8G-E	N/A	ELPIDA	V	V	
NANYA	NT 512T64U880 BY-25C	DDR2 800 512MB	SS	NT5TU64M8 BE-25C	5	NANYA		V	V
NANYA	NT1GT64U8 HBOBY-25C	DDR2 800 1024MB	DS	NT5TU64M8 BE-25C	5	NANYA	V	V	V
NANYA	NT1GT64U8 HCOBY-25D	DDR2 800 1024MB	DS	NT5TU64M8 CE-25D	N/A	NANYA	V	V	V
NANYA	NT2GT64U8 HCOBY-AC	DDR2 800 2048MB	DS	NT5TU128M 8CE-AC	5	NANYA	V	V	V
OCZ	OCZ2FX800C 32GK	DDR2 800 1024MB	DS	Heat-Sink Package	N/A	N/A			
OCZ	OCZ2G8001G	DDR2 800 1024MB	DS	Heat-Sink Package	5	N/A	V	V	V
OCZ	OCZ2G8002G K	DDR2 800 1024MB	DS	Heat-Sink Package	N/A	N/A			
OCZ	OCZ2P8004G K	DDR2 800 4096MB(Kit of 2)	DS	Heat-Sink Package	5-4-4	N/A	V	V	V
OCZ	OCZ2P800R2 2GK	DDR2 800 2048MB(Kit of 2)	DS	Heat-Sink Package	4	N/A		V	
OCZ	OCZ2T8002G K	DDR2 800 1024MB	DS	Heat-Sink Package	N/A	N/A		V	V

Vendor	Part No.	Size	SS/DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
PSC	AL8E8F73C-8E1	DDR2 800 2048MB	DS	A3R1GE3CFF 734MAA0E	5	PSC	V	V	V
Qimonda	HYS64T 512020EU- 2.5-A	DDR2 800 4096MB	DS	HYB18T2G80 0AF-2.5	6	QIMONDA		V	
Qimonda	HYS64T 512020EU- 25F-A	DDR2 800 4096MB	DS	HYB18T2G80 0AF-25F	5	QIMONDA	V	V	
Qimonda	HYS64T2560 20EU-2.5-C2	DDR2 800 2048MB	DS	HYB18T1G80 0C2F-2.5	6	QIMONDA		V	V
Qimonda	HYS64T2560 20EU-25F-C2	DDR2 800 2048MB	DS	HYB18T1G80 0C2F-25F	5	QIMONDA	V	V	V
SAMSUNG	M378T2863Q ZS-CF7	DDR2 800 1024MB	SS	K4T1G084Q Q	6	SAMSUNG	V	V	V
SAMSUNG	M378T6553G ZS-CF7	DDR2 800 512MB	SS	K4T51083QG	6	SAMSUNG		V	V
SAMSUNG	M391T2863Q Z3-CF7	DDR2 800 1024MB	SS	K4T1G084Q Q(ECC)	6	SAMSUNG		V	V
SAMSUNG	M378T2953G Z3-CF7	DDR2 800 1024MB	DS	K4T51083QG	6	SAMSUNG	V	V	V
SAMSUNG	M378T5263A Z3-CF7	DDR2 800 4096MB	DS	K4T2G084QA -HCF7	6	SAMSUNG	V	V	
SAMSUNG	M378T5663Q Z3-CF7	DDR2 800 2048MB	DS	K4T1G084Q Q(ECC)	6	SAMSUNG	V	V	V
SAMSUNG	M391T5663Q Z3-CF7	DDR2 800 2048MB	DS	K4T1G084Q Q	6	SAMSUNG	V	V	V
Super Talent	T800UA12C4	DDR2 800 512MB	SS	Heat-Sink Package	N/A	N/A		V	V
Super Talent	T800UB1GC4	DDR2 800 1024MB	DS	Heat-Sink Package	N/A	N/A	V	V	V
Transcend	JM800QLU- 1G	DDR2 800 1024MB	SS	TQ243ECF8	5	Transcen	V	V	V
Transcend	JM800QLJ- 1G	DDR2 800 1024MB	DS	TQ123PJF8	5	Transcen			V
Transcend	JM800QLU- 2G	DDR2 800 2048MB	DS	TQ243PCF8	5	Transcen	V	V	V
Aeneon	AET760UD00 -25DC08X	DDR2 800 1024MB	SS	AET03R25D C	5	Aeneon		V	V
Aeneon	AET760UD00 -25DB97X	DDR2 800 1024MB	DS	AET93R25D B	N/A	Aeneon		V	V
Aeneon	AET860UD00 -25DC08X	DDR2 800 2048MB	DS	AET03R25D C	5	Aeneon	V	V	V
Aeneon	AXT960UD2 0-25D	DDR2 800 4096MB	DS	Heat-Sink Package	5	N/A			
Asint	SLY2128M8- JGE	DDR2 800 1024MB	SS	DDRII1208- GE	N/A	Asint		V	V
Asint	SLZ2128M8- JGE	DDR2 800 2048MB	DS	DDRII1208- GE	N/A	Asint	V	V	V
CENTURY	28V2H8	DDR2 800 512MB	SS	HY5PS12821 BFP-S5	N/A	Hynix	V	V	
CENTURY	28VOH8	DDR2 800 1024MB	DS	HY5PS12821 BFP-S5	N/A	Hynix	V		V
Elixir	M2Y1G64TU 88D4B-AC	DDR2 800 1024MB	SS	N2TU1G80D E-AC	5	Elixir	V	V	V
Elixir	M2Y1G64TU 8HB0B-25C	DDR2 800 1024MB	DS	N2TU 51280BE-25C	5	Elixir		V	V
Elixir	M2Y2G64TU 8HD4B-AC	DDR2 800 2048MB	DS	N2TU1G80D E-AC	5	Elixir	V	V	V
Kingbox	N/A	DDR2 800 2048MB	DS	D9HNL	N/A	N/A	V	V	V

Vendor	Part No.	Size	SS/DS	Chip No.	CL	Chip Brand	DIMM socket support (Optional)		
							A*	B*	C*
Kingbox	N/A	DDR2 800 2048MB	DS	EPD21280822 00E-3	N/A	Kingbox		V	V
Oci	04701G16CZ 5D2A	DDR2 800 1024MB	DS	64M8PC6400	5	Infinity		V	V
Patriot	PSD2 51280081	DDR2 800 512MB	SS	PM64M8D2B U-25EC	N/A	N/A		V	V
Patriot	PSD21G8002	DDR2 800 1024MB	DS	PM64M8D2B U-25PAC	5	Patriot			
Patriot	PSD22GB002	DDR2 800 2048MB	DS	PM128M8D2 BU-25KC	5	Patriot	V	V	V
Team	TEDD1024M 800HC5	DDR2 800 1024MB	DS	Heat-Sink Package	5-5-5-15	N/A		V	V
Team	TEDD2048M 800HC5	DDR2 800 2048MB	DS	Heat-Sink Package	5-5-5-15	N/A		V	V
UMAX	U2S12D30TP -8E	DDR2 800 1024MB	DS	D48001GP3- 63BJU	N/A	UMAX	V	V	V
UMAX	U2S24D30TP -8E	DDR2 800 2048MB	DS	D48002GP0- 73BCU	N/A	UMAX			